
Computer Networking

Course book: Computer Networking Top Down approach 3rd edition By Jim kurose and keith ross

Reference book: Computer Networks 3rd edition By Andrew S.Tanenbaum

Chapter 1 Computer Networks and the Internet



Computer Networking: A Top Down Approach Featuring the Internet, 3rd edition. Jim Kurose, Keith Ross

Chapter 1: Introduction

<u>Our goal:</u>

- get "feel" and terminology
- more depth, detail later in course
- 🗅 approach:
 - use Internet as example

Overview:


- what's the Internet
- what's a protocol?
- network edge
- network core
- access net, physical media
- Internet/ISP structure
- protocol layers, service models
- network modeling

Chapter 1: roadmap

- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History


What's the Internet: "nuts and bolts" view

millions of connected computing devices: *hosts* = end systems running *network apps* communication links • fiber, copper, radio, satellite • transmission rate = bandwidth routers: forward packets (chunks of data)




What's the Internet: "nuts and bolts" view

- protocols control sending, receiving of msgs
 e.g., TCP, IP, HTTP, FTP, PPP
- Internet: "network of networks"
 - loosely hierarchical
 - public Internet versus private intranet
- Internet standards
 - RFC: Request for comments
 - IETF: Internet Engineering Task Force



What's the Internet: a service view

- communication
 infrastructure enables
 distributed applications:
 - Web, email, games, ecommerce, file sharing
- communication services provided to apps:
 - Connectionless unreliable
 - connection-oriented reliable



What's a protocol?

<u>human protocols:</u>

- "what's the time?"
- □ "I have a question"
- introductions
- ... specific msgs sent ... specific actions taken when msgs received, or other events


network protocols:

- machines rather than humans
- all communication activity in Internet governed by protocols

protocols define format, order of msgs sent and received among network entities, and actions taken on msg transmission, receipt

What's a protocol?

a human protocol and a computer network protocol:



Chapter 1: roadmap

- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History


<u>A closer look at network structure:</u>

network edge: applications and hosts

network core:

 routers
 network of networks

access networks, physical media: communication links



The network edge:

end systems (hosts):


- run application programs
- e.g. Web, email
- at "edge of network"

client/server model

- client host requests, receives service from always-on server
- e.g. Web browser/server; email client/server

peer-peer model:

- minimal (or no) use of dedicated servers
- e.g. Gnutella, KaZaA,bit torrent



Network edge: connection-oriented service

<u>Goal:</u> data transfer between end systems

- handshaking: setup (prepare for) data transfer ahead of time
 - Hello, hello back human protocol
 - set up "state" in two communicating hosts
- TCP Transmission Control Protocol
 - Internet's connectionoriented service

TCP service [RFC 793]

- reliable, in-order bytestream data transfer
 - loss: acknowledgements and retransmissions

flow control:

- sender won't overwhelm receiver
- congestion control:
 - senders "slow down sending rate" when network congested

Network edge: connectionless service

Goal: data transfer between end systems • same as before! UDP - User Datagram Protocol [RFC 768]: o connectionless o unreliable data transfer o no flow control o no congestion control

App's using TCP:

HTTP (Web), FTP (file transfer), Telnet (remote login), SMTP (email)

<u>App's using UDP:</u>


 streaming media, teleconferencing, DNS, Internet telephony

Chapter 1: roadmap

- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History

The Network Core


- mesh of interconnected routers
- the fundamental question: how is data transferred through net?
 - circuit switching: dedicated circuit per call: telephone net
 - packet-switching: data sent thru net in discrete "chunks"



Network Core: Circuit Switching

End-end resources reserved for "call"

- link bandwidth, switch capacity
- dedicated resources: no sharing
- circuit-like (guaranteed) performance
- call setup required



Network Core: Circuit Switching

network resources

(e.g., bandwidth)
divided into "pieces"

pieces allocated to calls
resource piece *idle* if


not used by owning call

(no sharing)

dividing link bandwidth into "pieces"

- frequency division
- time division

Circuit Switching: FDM and TDM



Numerical example

How long does it take to send a file of 640,000 bits from host A to host B over a circuit-switched network?

• All links are 1.536 Mbps

• Each link uses TDM with 24 slots

500 msec to establish end-to-end circuit

Work it out!

Network Core: Packet Switching


- each end-end data stream divided into *packets*
- user A, B packets share network resources
- each packet uses full link bandwidth
- resources used as needed



resource contention:

- aggregate resource demand can exceed amount available
- congestion: packets queue, wait for link use
- store and forward: packets move one hop at a time
 - Node receives complete packet before forwarding

Packet Switching: Statistical Multiplexing




Sequence of A & B packets does not have fixed pattern *→ statistical multiplexing*.

In TDM each host gets same slot in revolving TDM frame.

Packet switching versus circuit switching

- Packet switching allows more users to use network!
- 🗆 1 Mb/s link
- each user:
 - 100 kb/s when "active"
 - o active 10% of time
- circuit-switching:
 - o 10 users
- packet switching:
 - with 35 users, probability > 10 active less than .0004



Packet switching versus circuit switching

Is packet switching a "slam dunk winner?"

Great for bursty data

• resource sharing

○ simpler, no call setup


Excessive congestion: packet delay and loss

 protocols needed for reliable data transfer, congestion control

Q: How to provide circuit-like behavior?

- bandwidth guarantees needed for audio/video apps
- still an unsolved problem (chapter 6)

Packet-switching: store-and-forward



- Takes L/R seconds to transmit (push out) packet of L bits on to link or R bps
- Entire packet must arrive at router before it can be transmitted on next link: store and forward

□ delay = 3L/R

Example:

- L = 7.5 Mbits
- **R** = 1.5 Mbps
- delay = 15 sec

Packet-switched networks: forwarding

Goal: move packets through routers from source to destination


 we'll study several path selection (i.e. routing) algorithms (chapter 4)

datagram network:

- destination address in packet determines next hop
- routes may change during session
- analogy: driving, asking directions

virtual circuit network:

- each packet carries tag (virtual circuit ID), tag determines next hop
- fixed path determined at *call setup time*, remains fixed thru call
- o routers maintain per-call state



• Datagram network is <u>not</u> either connection-oriented or connectionless.

• Internet provides both connection-oriented (TCP) and connectionless services (UDP) to apps.

Chapter 1: roadmap


- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.8 History

Access networks and physical media

- *Q: How to connect end systems to edge router?*
- residential access nets
- institutional access networks (school, company)
- mobile access networks

Keep in mind:


- bandwidth (bits per second) of access network?
- shared or dedicated?



Residential access: point to point access

Dialup via modem

- up to 56Kbps direct access to router (often less)
- Can't surf and phone at same time: can't be "always on"



□ <u>ADSL</u>: asymmetric digital subscriber line


- up to 1 Mbps upstream (today typically < 256 kbps)
- o up to 8 Mbps downstream (today typically < 1 Mbps)</p>
- FDM: 50 kHz 1 MHz for downstream
 - 4 kHz 50 kHz for upstream
 - 0 kHz 4 kHz for ordinary telephone

Residential access: cable modems


□ HFC: hybrid fiber coax


- asymmetric: up to 30Mbps downstream, 2
 Mbps upstream
- network of cable and fiber attaches homes to ISP router
 - homes share access to router
- deployment: available via cable TV companies

Residential access: cable modems




Typically 500 to 5,000 homes






Introduction 1-34




Introduction 1-35



Company access: local area networks

- company/univ local area network (LAN) connects end system to edge router
- Ethernet:
 - shared or dedicated link connects end system and router
 - 10 Mbs, 100Mbps,
 Gigabit Ethernet
- □ LANs: chapter 5



Wireless access networks


- shared wireless access network connects end system to router
 - via base station aka "access point"

wireless LANs:

• 802.11b (WiFi): 11 Mbps

wider-area wireless access


- provided by telco operator
- 3G ~ 384 kbps
 - Will it happen??
- WAP/GPRS in Europe



Home networks

Typical home network components:

- ADSL or cable modem
- router/firewall/NAT
- Ethernet



Physical Media

- Bit: propagates between transmitter/rcvr pairs
- physical link: what lies between transmitter & receiver

guided media:

 signals propagate in solid media: copper, fiber, coax

unguided media:

 signals propagate freely, e.g., radio

Twisted Pair (TP)

- two insulated copper wires
 - Category 3: traditional phone wires, 10 Mbps Ethernet
 - Category 5: 100Mbps Ethernet



Physical Media: coax, fiber

Coaxial cable:

- two concentric copper conductors
- bidirectional
- 🗅 baseband:
 - o single channel on cable
 - o legacy Ethernet
- broadband:
 - multiple channel on cable
 - HFC



Fiber optic cable:

- glass fiber carrying light pulses, each pulse a bit
- high-speed operation:
 - high-speed point-to-point transmission (e.g., 5 Gps)
- Iow error rate: repeaters spaced far apart ; immune to electromagnetic noise



Physical media: radio

- signal carried in electromagnetic spectrum
- no physical "wire"
- 🗅 bidirectional
- propagation environment effects:
 - o reflection
 - obstruction by objects
 - interference

Radio link types:

- terrestrial microwave
 - e.g. up to 45 Mbps channels
- LAN (e.g., Wifi)
 - 2Mbps, 11Mbps
- 🗆 wide-area (e.g., cellular)
 - e.g. 3G: hundreds of kbps


satellite

- up to 50Mbps channel (or multiple smaller channels)
- o 270 msec end-end delay
- geosynchronous versus low altitude

Chapter 1: roadmap


- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History

- roughly hierarchical
- at center: "tier-1" ISPs (e.g., UUNet, BBN/Genuity, Sprint, AT&T), national/international coverage
 - treat each other as equals




Tier-1 ISP: e.g., Sprint

Sprint US backbone network




□ "Tier-2" ISPs: smaller (often regional) ISPs

• Connect to one or more tier-1 ISPs, possibly other tier-2 ISPs




"Tier-3" ISPs and local ISPs

last hop ("access") network (closest to end systems)



a packet passes through many networks!



Chapter 1: roadmap

- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History

Protocol "Layers"


- Networks are complex!
- □ many "pieces":
 - o hosts
 - o routers
 - links of various media
 - o applications
 - o protocols
 - hardware, software

<u>Question:</u>

Is there any hope of *organizing* structure of network?


Or at least our discussion of networks?

Organization of air travel



□ a series of steps

Layering of airline functionality



Layers: each layer implements a service • via its own internal-layer actions • relying on services provided by layer below Why layering?

Dealing with complex systems:


- explicit structure allows identification, relationship of complex system's pieces
 - layered reference model for discussion
- modularization eases maintenance, updating of system
 - change of implementation of layer's service transparent to rest of system
 - e.g., change in gate procedure doesn't affect rest of system
- Iayering considered harmful?

Internet protocol stack

application: supporting network applications

- FTP, SMTP, STTP
- TCP, UDP
 TCP, UDP
- network: routing of datagrams from source to destination
 - IP, routing protocols
- link: data transfer between neighboring network elements
 - PPP, Ethernet
- physical: bits "on the wire"

application
- transport
network
link
physical



Chapter 1: roadmap

- 1.1 What *is* the Internet?
- 1.2 Network edge
- 1.3 Network core
- 1.4 Network access and physical media
- 1.5 Internet structure and ISPs
- 1.6 Protocol layers, service models
- 1.7 History

Internet History

1961-1972: Early packet-switching principles

- 1961: Kleinrock queueing theory shows effectiveness of packetswitching
- 1964: Baran packetswitching in military nets
- 1967: ARPAnet conceived by Advanced Research Projects Agency
- 1969: first ARPAnet node operational

1972:

- ARPAnet demonstrated publicly
- NCP (Network Control Protocol) first hosthost protocol
- first e-mail program
- ARPAnet has 15 nodes

Internet History

1972-1980: Internetworking, new and proprietary nets

- 1970: ALOHAnet satellite network in Hawaii
- 1973: Metcalfe's PhD thesis proposes Ethernet
- 1974: Cerf and Kahn architecture for interconnecting networks
- late70's: proprietary architectures: DECnet, SNA, XNA
- late 70's: switching fixed length packets (ATM precursor)
- 1979: ARPAnet has 200 nodes

Cerf and Kahn's internetworking principles:

- minimalism, autonomy no internal changes required to interconnect networks
- best effort service model
- stateless routers
- decentralized control

define today's Internet architecture

Internet History

1990, 2000's: commercialization, the Web, new apps

- Early 1990's: ARPAnet decommissioned
- 1991: NSF lifts restrictions on commercial use of NSFnet (decommissioned, 1995)
- □ early 1990s: Web
 - hypertext [Bush 1945, Nelson 1960's]
 - HTML, HTTP: Berners-Lee
 - o 1994: Mosaic, later Netscape
 - late 1990's:

commercialization of the Web

Late 1990's - 2000's:

- more killer apps: instant messaging, P2P file sharing
- network security to forefront
- est. 50 million host, 100 million+ users
- backbone links running at Gbps

Introduction: Summary

Covered a "ton" of material!

- Internet overview
- what's a protocol?
- network edge, core, access network
 - packet-switching versus circuit-switching
- Internet/ISP structure
- performance: loss, delay
- layering and service models
- history

<u>You now have:</u>

- context, overview, "feel" of networking
- more depth, detail to follow!