- 1. radioluceny at the apex of a vital tooth
- 2. radio opacity periapical
- 3. dentin conditioners
- 4. acid etch causes
- 5. 8 year old child with green stains
- 6. shape of access opening of mand moar with 4 canals
- 7. not a periodontal pathogen
- 8. most common developmental maxillary cyst
- 9. which is benzodiazepne antagonist
- 10. fluride from GIC reacts wid?
- 11. bleeding patient in emergency,
- 12. tongue control lost, maanagement?
- 13. mandibular fracture tension/ compression / rotation/ torsion?
- 14. DIFOTI use
- 15. gel used for etching not liquid y?
- 16. irregulr dentin ,interglobular dentin
- 17. etchant protected 4m entering pulp
- 18. radiopacity below3 month old amalgam restr.
- 19. .semipermeable sulcular epi. leads 2
- 20. multiple radiolucencies in 30 yr old lady due 2
- 21. floating teeth seen in
- 22. etching leads 2 reduction in
- 23. eutectic mixture used in
- 24. postoperative effect is minimum wid
- 25. oral pigmentation seen in
- 26. gingivoplasty nt req in all except
- 27. plaque contains

- 28. bilat. canine area fracture in md. is pushed backwards by action of muscles
- 29. nt effective against MRSA
- 30. in penicillin allergic pt penicillin nd erythromycin nt given together why
- 31. tt. 4 a pt having badly carious left LI wid inability of opening left eye ,fluctuant swelling on left side of face, fever
- 32. sorting of pt.of trauma on basis of need of care nd availability of resources
- 33. prevention of long term widrawl effects of morphine is prevented by
- 34. which GA cause rapid recovery wid max consciousness
- 35. muscle not originated from oblique line of thyroid
- 36. t lymphocytes primarily do
- 37. T2N0M0 signify stage 2
- 38. plaque contain-bacteria & food products,
- 39. infectious mononucleosis- ebv
- 40. suger found-sucrose
- 41. oral pigmentation-addison disease
- 42. avulsed tooth-wash with saline
- 43. painful socket- irrigation & medicated gauge
- 44. hair on end appearance-thallesemia
- 45. radiographic feature in gingivitis- normal bone
- 46. 8mm pocket- pseudo pocket
- 47. root # in the apical third of permanent teeth usually ------ vital n functional
- 48. trauma from occlusion least likely to affect------ epithelial attachment
- 49. adenoid odontogenic tumor called as------ adenoameloblastoma
- 50. radicular cyst always asso. with.----- non vital tooth
- 51. abrasion most common on----- maxillary arch left side
- 52. nitrous oxide nt used alone in GA----- difficulty to maintain adequate O2 con.
- 53. floating tooth----cherubism
- 54. loading dose dependant on---vol of distribution

- 55. mode
- 56. koch's postulate
- 57. modification of koch's postulate
- 58. difference between etchant and gel
- 59. bone grafting done before canine extraction or after in cleft case
- 60. use of paired t test or unpaired in two groups
- 61. a tooth in which rct was started 2 yrs back , radiolucency does not resolve reason , curretage done
- 62. periapical radoioopacities around molar
- 63. patient on steriod therapy, whay would u give
- 64. in # mand part behind # line acts as
- 65. material which has high tensile strength but low compressive strength called
- 66. a girl using teething gel _ acrodynia?
- 67. mixture of 2.5% + 2.5% used in
- 68. gasserian block
- 69. mand block
- 70. eutectic mixture used in anesthesia of intact skin
- 71. injury which does not extend to dermis.... contusion
- 72. bilat. canine area fracture in md. is pushed backwards by action of muscles, ant belly digastric genioglossus geniohyoid
- 73. nt effective against MRSA clotrimaxazole
- 74. in penicillin allergic pt penicillin nd erythromycin nt given together why, erythromycin reduce d action of penicillin
- 75. tt. 4 a pt having badly carious left LI wid inability of opening left eye ,fluctuant swelling on
- 76. left side of face, fever.... incision and drainage
- 77. sorting of pt.of trauma on basis of need of care nd availability of resources....triage
- 78. prevention of long term widrawl effects of morphine
- 79. gingivoplasty nt req in all except acute necrotising ulcerative gingivitis

- 80. organism absent in pdl diseases????
- 81. semipermeable sulcular epi. leads 2 both of the above
- 82. multiple radiolucencies in 30 yr old lady due 2..?
- 83. GA cause rapid recovery wid max consciousness.?
- 84. muscle not originated from oblique line of thyroid....sup constrictor
- 85. t lymphocytes primarily do...produce lymphokine and
- 86. T2N0M0 signify stage 2.
- 87. trauma from occlusion is least likely to affect.
- 88. ...most commonly observed
- 89. .koch's postulate
- 90. modification of koch's postulateby socransky
- 91. during emergency
- 92. not available all of the following can be give except...
- 93. material which has high compressive strenght but low tensile strenght......
- 94. trauma from occlusion least likely to affeact epithelial attachment
- 95. ga with max recovery..... propofol
- 96. which drug is nt used 4 MR resistant
- 97. horse serum injection is injected to arm ...
- 98. improper obturation or leakage 4m the canal
- 99. drug not given in hepatic insufficiency and cirrosis
- 100. drug nt acetylayed..... metoclopramide
- 101. chromic catgut...... delayed resorption
- 102. loading dose.... vol of distribution
- 103. which is a objective scale...... facial pain;knee jerk; r reflex; hiii
- 104. tongue managed in person who has laost voluntary control
- 105. nevus which is malignant
- 106. oat is also k/a

- 107. feature of cardiac muscles except?
- 108. vertical radiolucent line bw ci and li
- 109. # alv bone on fixation produce at alv border;;;;;;; tension;compression; shear; rotational
- 110. bone grafting done in cleft palate patients-
- 111. pulp is
- 112. prothrombin time is decreased in:
- 113. Radiographic appearance of sinusitis shows:
- 114. The microorganisms that first inhabit the tooth surface are:
- 115. which one used in periodontal disease patient
- 116. in 6 year old caries experience is due to
- 117. in patient with ch renal failure drug dose nt altered; ca channel blocker
- 118. phosphoethanolamine release in urine hypophosphotasia
- 119. emergency traceostomy below cricoid
- 120. partially penetrate dermisⁱ

i NOTE : ACTUAL AIIMS PAPER CONSISTS OF ONLY 90 QUESTIONS.SOME OF THE Q ARE REPEATED SO THE NUMBER IS MORE. QUESTIONS & ANSWERS(IF ANY) MAY NOT BE RELIABLE...... THEY ARE MORE OF JUST HINTS AND SHOULD NOT BE BLINDLY FOLLOWED.