Signature and Name of Invigilator					Answer Sheet No. :									
1.	. (Signature) (Name)				Roll	No.								
							(]	In figu	res as	per a	dmiss	sion c	ard)	
2.	(Sie	(Signature)				Roll No.				•				
(Name)						((In wo	rds)						
	(1 14	iiiie)		 PAPER	тт	Test	Boo	klet 1	No.					
Ι)—	-8706												
ц. т;	m 0	• 11/ hours	IENCE AND ATIONS [Maximum Marks : 100											
Time : 1 ¹ / ₄ hours] APPLICA							6.0							
Number of Pages in this Booklet : 8						Number of Questions in this Booklet : 50								
		Instructior	ns for the Candidat	tes	परीक्षार्थियों के लिए निर्देश									
1.		Write your roll number in the space provided on the top of this			 पहले पृष्ठ के ऊपर नियत स्थान पर अपना रोल नज्ञ्बर लिखिए। 									
2.	page This		f fifty multiple-choice type of	auestions.	 इस प्रश्न-पत्र में पचास बहुविकल्पीय प्रश्न हैं। परीक्षा प्रारज्भ होने पर, प्रश्न-पुस्तिका आपको दे दी जायेगी। पहले पाँच मिनट 									
3.	This paper consists of fifty multiple-choice type of questions. At the commencement of examination, the question booklet will be given to you. In the first 5 minutes, you are requested to open the booklet and compulsorily examine it as below :			5.	आपको प्रश्न-पुस्तिका खोलने तथा उसकी निज्नलिखित जाँच के लिए दिये									
					जायेंगे जिसकी जाँच आपको अवश्य करनी है :									
	(i)					 (i) प्रश्न-पुस्तिका खोलने के लिए उसके कवर पेज पर लगी कागज व सील को फाड़ लें। खुली हुई या बिना स्टीकर-सील की पुस्तिव 								
	seal on the edge of this cover page. Do not accept a booklet without sticker-seal and do not accept an open booklet.						साल का काड़ ला 'खुला हुइ या जिमा स्टाकर-साल का मुस्सका स्वीकार न करें।							
						(ii) कवर पृष्ठ् पर छपे निर्देशानुसार प्रश्न-पुस्तिका के पृष्ठ तथा प्रश्नों की						श्नों की		
	(ii) Tally the number of pages and number of questions in the booklet with the information printed on the cover					संज्या को अच्छी तरह चैक कर लें कि ये पूरे हैं। दोषपूर्ण पुस्तिका जिनमें पृष्ठ / प्रश्न कम हों या दुबारा आ गये हों या सीरियल में न हों								
	page. Faulty booklets due to pages/question		ons missing		अर्थात वि	ह सी भी प्र	ाकार की	त्रुटिपूर्ण	र्ग पुस्तिक	ज स्वीव	हार न व	हरें तथा		
			or not in serial order or hould be got replaced imme			उसी समर ले लें। इ								
	correct booklet from the invigilator within the 5 minutes. Afterwards, neither the questior		the period of		तो आपव	न्नी प्र श्न−	पुस्तिका	वापस त						
	will be replaced nor any extra time will be given.					अतिरिक्त								
	(iii)	(iii) After this verification is over, the Serial No. of the boo should be entered in the Answer-sheets and the S				(iii) इस जाँच करें और								
	No. of Answer Sheet should be entered on this Booklet.				करें और उज़र-पत्रक की ऋम संज्या इस प्रश्न-पुस्तिका पर अं दें।									
4.	Each item has four alternative responses marked (A), (B), (C) and (D). You have to darken the oval as indicated below on the correct response against each item. Example : (A) (B) (D)			4. प्रत्येक प्रश्न के लिए चार उज़र विकल्प (A), (B), (C) तथा (D) दिये गये हैं। आपको सही उज़र के दीर्घवृज्ञ को पेन से भरकर काला करना है जैसा कि नीचे दिखाया गया है।							। गये हैं।			
				उदाहरण : 🔿 🚯 🔵 D										
	where (C) is the correct response.			जबकि (C) सही उज़र है।										
5.	Your responses to the items are to be indicated in the Answer				5.									
	Sheet given inside the Paper I booklet only . If you mark at any place other than in the ovals in the Answer Sheet, it will			करने हैं। यदि आप उजर पत्रक पर दिये गये दीर्घवृज्ञ के अलावा किर स्थान पर उजर चिन्हांकित करते है, तो उसका मूल्यांकन नहीं होगा।						ला अन्य				
		not be evaluated.			6.	अन्दर दिये गये नि	ये गये निर्देशों को ध्यानपूर्वक पढ़ें।							
6. 7		-	ven inside carefully.	اما	7.	8. यदि आप उज़र-पुस्तिका पर अपना नाम या ऐसा कोई भी निशान जिससे अ								
7. 8.		0	e done in the end of this book		8.									
0.	If you write your name or put any mark on any part of the test booklet, except for the space allotted for the relevant entries, which may disclose your identity, you will render yourself liable to disqualification.				पहचान हो सके, किसी भी भाग पर दर्शाते या अंकित करते हैं तो लिये अयोग्य घोषित कर दिये जायेंगे।						रुता भ	राजा क		
				9.	आपको परीक्षा स									
9.	You have to return the test question booklet to the invigilators at the end of the examination compulsorily and must not carry it with you outside the Examination Hall.				आवश्यक है औ लेकर जायें।	र परीक्षा स	ामाप्ति के	बाद अप	ाने साथ प	गरीक्षा भ	नवन से	बाहर न		
				10.	लकर जाय। 10. केवल नीले / काले बाल प्वाईंट पैन का ही इस्तेमाल करें।									
10.		2	Ball point pen.			10. कवल गल 7 काल बाल व्याइट वर्ग का हा इसमाल करा 11. किसी भी प्रकार का संगणक (कैलकुलेटर) या लाग टेबल					बल अ	आदि का		
11.	Use	of any calculato	r or log table etc., is prohibi	ted.		प्रयोग वर्जित है।		. -	-					
12.	The	re is NO negativ	e marking.		12.	. गलत उज़र के लि	नए अंक	नहीं काटे	जार्येगे।					
D	-87	706		1								Р.	Т.О.	

Computer Science and Applications PAPER—II

- **Note :** This paper contains **fifty** (50) objective-type questions, each question carrying **two** (2) marks. Attempt **all** of them.
- 1. Which of the regular expressions corresponds to this grammar ? $S \rightarrow AB/AS, A \rightarrow a/aA, B \rightarrow b$ (A) aa^*b^+ (B) aa^*b (C) $(ab)^*$ (D) $a(ab)^*$
- 2. The proposition $\sim q \lor p$ is equivalent to : (A) (B) (C) (D)
- 3. The number of edges in a complete graph with N vertices is equal to : (A) N (N-1) (B) 2N-1 (C) N-1 (D) N(N-1)/2
- 4. Which of the following is not true ?
 - (A)
 - $(B) \qquad A-B=A\cap \sim B$
 - (C)
 - (D)
- 5. If (a^2-b^2) is a prime number where a and b ϵ N, then : (A) $a^2-b^2=3$ (B) $a^2-b^2=a-b$ (C) $a^2-b^2=a+b$ (D) $a^2-b^2=5$
- 6. The hexadecimal equivalent of (10111)₂×(1110)₂ is :
 (A) 150
 (B) 241
 (C) 142
 (D) 101011110
- 7. An example of a self complementing code is :
 (A) 8421 code
 (B) Gray code
 (C) Excess-3 code
 (D) 7421 code
- 8. A sum of products expression can be implemented with _____ logic gates.
 - (A) AND OR (B) NAND OR (C) AND (C) AN
 - (C) AND NOT (D) OR AND
- **9.** The characteristic equation of the D flip-flop is :
 - (A) (B) Q = D (C) Q = 1 (D) Q = 0

```
10. Which of the following logic is the fastest ?(A) RTL(B) ECL(C) HTL(D) HCL
```

- **11.** When a function is recursively called, all automatic variables :
 - (A) are initialized during each execution of the function
 - (B) are retained from the last execution
 - (C) are maintained in a stack
 - (D) are ignored
- **12.** Enumeration variables can be used in :
 - (A) search statement like an integer variable
 - (B) break statement
 - (C) preprocessor commands
 - (D) function statement

```
13. int arr[]={1, 2, 3, 4}
int count;
incr() {return ++count;}
main()
{
    arr[count++]=incr();
    printf("arr[count]=%d\n", arr[count]);
    }
    The value printed by the above program is :
    (A) 1 (B) 2 (C) 3 (D) 4
```

- **14.** When one-dimensional character array of unspecified length is assigned an initial value :
 - (A) an arbitrary character is automatically added to the end of the string
 - (B) 'o' is added to the end of the string
 - (C) length of the string is added to the end of the string
 - (D) 'end' is added to the end of the string
- **15.** The declaration "unsigned u" indicates :
 - (A) u is an unsigned character
 - (B) u is an unsigned integer
 - (C) u is a character
 - (D) u is a string

- 16. Which possibility among the following is invalid in case of a Data Flow Diagram ?
 - (A) A process having in-bound data flows more than out-bound data flows
 - (B) A data flow between two processes
 - (C) A data flow between two data stores
 - (D) A data store having more than one in-bound data flows
- **17.** In DBMS, deferred update means :
 - (A) All the updates are done first but the entries are made in the log file later
 - (B) All the log files entries are made first but the actual updates are done later
 - (C) Every update is done first followed by a writing on the log file
 - (D) Changes in the views are deferred till a query asks for a view
- **18.** Which statement is false regarding data independence ?
 - (A) Hierarchical data model suffers from data independence
 - (B) Network model suffers from data independence
 - (C) Relational model suffers only from logical data independence
 - (D) Relational model suffers only from physical data independence
- **19.** Which of the following tools is not required during system analysis phase of system development life cycle ?
 - (A) Case tool (B) RAD tool
 - (C) Reverse engineering (D) None of these
- 20. Two phase protocol in a database management system is :
 - (A) a concurrency mechanism that is not deadlock free
 - (B) a recovery protocol used for restoring a database after a crash
 - (C) Any update to the system log done in 2-phases
 - (D) not effective in Database
- **21.** Which algorithm has same average, worst case and best case time ?
 - (A) Binary search (B) Maximum of n number
 - (C) Quick sort (D) Fibonacci search
- **22.** Binary search tree is an example of :
 - (A) Divide and conquer technique
 - (B) Greedy algorithm
 - (C) Back tracking
 - (D) Dynamic Programming
- **23.** What is the time required to insert an element in a stack with linked implementation ? (A) $O(\log_2^n)$ (B) O(n) (C) $O(n \log_2^n)$ (D) O(1)

D—8706

(D) Fibonacci search

24.	The equivalent postfix expression for $\frac{d}{(e+f)} + b*c$:										
	(A) defbc/++* (B) def	+ /bc + *								
			e of these								
25.	Which one of the following is a ph	ta structure ?									
	(A) Array (B) Lin) Linked lists								
	(C) Stacks (D) Tab	les								
•											
26.	How many DS1 signals are transpo (A) 24 (B) 672	orted on	Ũ								
	(A) 24 (B) 672		(C) 14 (D) 28								
27.	A 10 BASE-2 network is limited to :										
	(A) 20 bytes per data field	(B)	30 stations per segment								
	(C) 40 segments	(D)	50 feet of cable								
28.	The network 198•78•41•0 is a :										
	(A) Class A Network	(B)									
	(C) Class C Network	(D)	Class D Network								
29.	The subnet mask 255.255.255.192	subnet mask 255.255.255.192									
	(A) Extends the network portion to 16 bits										
	(B) Extends the network portion to 26 bits										
	(C) Extends the network portion to 36 bits										
	(D) Has no effect on the network portion of an IP address										
30.	The LAPB frame structure and the frame structure of SDLC are :										
	(A) Opposite	(B)	Identical								
	(C) Reversed	(D)	Non-identical								
01	Linking										
31.	Linking : (A) cannot be performed before relocation										
	(A) cannot be performed after relocation(B) cannot be performed after relocation										
	(C) can be performed both before	er relocation									
	(D) is not required if relocation is performed										
32.	Which of the following is the most general phase-structured grammar ?										
	(A) Regular	(B)	Context-sensitive								
	(C) Constant (max	(D)	Carratas, traca								

(C) Context free (D) Syntax tree

33.	A compiler for a high level language that runs on one machine and produces code for a different machine is called :							
	(A) Optimizing	(B)	One pass compiler					
	(C) Cross compiler	(D)	Multipass compiler					
34.	The 'K' in LR (R) cannot be :							
	(A) 0 (B) 1		(C) 2 (D) None of these					
35.	Peer-hole optimization is a form of :							
	(A) loop optimization	(B)	±					
	(C) constant folding	(D)	data flow analysis					
36.	An operating system is :							
50.	(A) Collection of hardware compone	(B) Collection of input-output devices						
	(C) Collection of software routines	.1113	(D) All the above					
	(c) concentration of software routines							
37.	is one of pre-emptive sc	hedul	ing algorithm.					
	(A) Shortest-Job-first	(B)) Round-robin					
	(C) Priority based	(D)) Shortest-Job-next					
38.	A software to create a Job Queue is called							
	(A) Linkage editor	(B)	1					
	(C) Driver	(D)) Spooler					
39.	A permanent database of a general me	odel o	f compiler is					
0,5,6	(A) Identifier table	(B)	Page map table					
	(C) Literal table	(D)	Terminal table					
40.	Loading operating system from seco	ndary	memory to primary memory is called					
	·							
	(A) Compiling	(B)	Booting					
	(C) Refreshing	(D)	Reassembling					
41. Software Cost Performance index (CPI) is given by :								
	BCWP	, - 0						
	(A) $\frac{BCWI}{ACWP}$	(B)						
	(C) BCWP – ACWP	(D) BCWP-BCWS						
	Where : BCWP stands for Budgeted Cost of Work Performed							
	BCWS stands for Budget Cost of Work Scheduled							
	ACWP stands for Actual Cost of Work Performed							

42.	Software Risk estimation involves following two tasks :									
	(A) risk magnitude and risk impact									
	(B)									
	(C)	risk maintenand	e and	risk impa	ct					
	(D)	risk developme	nt and	l risk impa	ct					
43.	In a object oriented software design, 'Inheritance' is a kind of									
	(A)	relationship		(B)	module					
	(C)	testing		(D)	optimizat	tion				
44.	Reliability of software is directly dependent on :									
	(A)	A) quality of the design								
	(B)	B) number of errors present								
	(C)	software engine	eer's e	xperience						
	(D)	user requirement	nt							
45.	'Abstraction' is step of Attribute in a software design.									
	(A)	First	(B)	Final	(C)	Last	(D)	Middle		
46.	The frequency band allocated for the downlink in GSM is :									
	(A)	960 - 985 MHz		(B)	935 - 960	MHz				
	(C)	920 - 945 MHz		(D)	930 - 955	MHz				
47.	Which of the following is an EDI standard ?									
	(A)	ANSI X.15		(B)	ANSI X.1	4				
	(C)	ANSI X.13		(D)	ANSI X.1	2				
48.	An INT file in Windows 95 is :									
	(A)	a program file		(B)	a message	e file				
	(C)	a text file		(D)	link file					
49.	Link analysis operation in data mining uses technique.									
	(A)	Classification		(B)	Associatio	on discove	ry			
	(C)	Visualisation		(D)	Neural cl	ustering				
50.	The maximum size of SMS in IS-95 is octets.									
	(A)	120	(B)	95	(C)	128	(D)	64		
				-	000-					

Space For Rough Work