

Study Material

Downloaded from Vedantu

About Vedantu

Vedantu is India's largest **LIVE online teaching platform** with best teachers from across the country.

Vedantu offers Live Interactive Classes for **JEE, NEET, KVPY, NTSE, Olympiads, CBSE, ICSE, IGCSE, IB & State Boards** for Students Studying in **6-12th Grades** and Droppers.

FREE

LIVE ONLINE

MASTER CLASSES

FREE Webinars by Expert Teachers



Register for FREE

Awesome Master Teachers



Anand Prakash
B.Tech, IIT Roorkee
Co-Founder, Vedantu



Pulkit Jain
B.Tech, IIT Roorkee
Co-Founder, Vedantu



Vamsi Krishna
B.Tech, IIT Bombay
Co-Founder, Vedantu



“My mentor is approachable and **guides me in my future aspirations as well.**”

Student - **Ayushi**



“My son loves the sessions and **I can already see the change.**”

Parent - **Sreelatha**



10,04,600+
Hours of LIVE Learning



9,49,900+
Happy Students



95%
Top Results

95% Students of Regular Tuitions on Vedantu scored above **90%** in exams!

Vedantu

FREE MASTER CLASS SERIES

- ✓ For **Grades 6-12th** targeting **JEE, CBSE, ICSE** & much more
- ✓ **Free 60 Minutes Live Interactive** classes everyday
- ✓ Learn from the **Master Teachers** - India's best

Register for **FREE**

Limited Seats!

Download Vedantu's App & Get



All Study Material
with Solution




LIVE
Doubt Solving



Daily
LIVE Classes



FREE Tests and
Reports



GET IT ON
Google Play

DOWNLOAD THE APP

Exercise**Question 1:**

Why is reproduction essential for organisms?

Solution 1:

Reproduction is a fundamental feature of all living organisms. It is a biological process through which living organisms produce offspring's similar to them. Reproduction ensures the continuance of various species on the Earth. In the absence of reproduction, the species will not be able to exist for a long time and may soon get extinct.

Question 2:

Which is a better mode of reproduction sexual or asexual? Why?

Solution 2:

Sexual reproduction is a better mode of reproduction. It allows the formation of new variants by the combination of the DNA from two different individuals, typically one of each sex. It involves the fusion of the male and the female gamete to produce zygotes, which are not exactly identical to either one of their parents. This variation allows the individual to adapt to constantly changing and challenging environments. Also, it leads to the evolution of better suited organisms which ensures greater survival of a species. On the contrary, asexual reproduction allows very little or no variation at all. As a result, the individuals produced are exact copies of their parents and themselves.

Question 3:

Why is the offspring formed by asexual reproduction referred to as clone?

Solution 3:

A clone is a group of morphologically and genetically identical individuals. In the process of asexual reproduction, only one parent is involved and there is no fusion of the male and the female gamete. As a result, the offspring produced are morphologically and genetically similar to their parents and are thus, called clones.

Question 4:

Offspring formed due to sexual reproduction have better chances of survival. Why? Is this statement always true?

Solution 4:

Sexual reproduction involves the fusion of the male and the female gamete. This fusion allows the formation of new variants by the combination of the DNA from two (usually) different members of the species. The variations allow the individuals to adapt under varied environmental conditions for better chances of survival. However, it is not always necessary that the offspring produced due to sexual reproduction has better chances of survival. Some variants produced may actually be less suited for survival. Also, under some circumstances, asexual reproduction is more advantageous for certain organisms. For example, some individuals who do not move from one place to another and are well settled in their environment.

Vedantu

Study Materials

[NCERT Solutions for Class 6 to 12 \(Math & Science\)](#)

[Revision Notes for Class 6 to 12 \(Math & Science\)](#)

[RD Sharma Solutions for Class 6 to 12 Mathematics](#)

[RS Aggarwal Solutions for Class 6, 7 & 10 Mathematics](#)

[Important Questions for Class 6 to 12 \(Math & Science\)](#)

[CBSE Sample Papers for Class 9, 10 & 12 \(Math & Science\)](#)

[Important Formula for Class 6 to 12 Math](#)

[CBSE Syllabus for Class 6 to 12](#)

[Lakhmir Singh Solutions for Class 9 & 10](#)

[Previous Year Question Paper](#)

[CBSE Class 12 Previous Year Question Paper](#)

[CBSE Class 10 Previous Year Question Paper](#)

[JEE Main & Advanced Question Paper](#)

[NEET Previous Year Question Paper](#)

Also, asexual reproduction is fast and a quick mode of reproduction which does not consume much time and energy as compared to sexual reproduction.

Question 5:

How does the progeny formed from asexual reproduction differ from those formed by sexual reproduction?

Solution 5:

Progeny formed from asexual reproduction	Progeny formed from sexual reproduction
Asexual reproduction does not involve the fusion of the male and the female gamete. Organisms undergoing this kind of reproduction produce offspring that are morphologically and genetically identical to them.	Sexual reproduction involves the fusion of the male and the female gamete of two individuals, typically one of each sex. Organisms undergoing this kind of reproduction produce offspring that are not identical to them.
Offspring thus produced do not show variations and are called clones. Progeny produced are more susceptible to changes in environment and are therefore less hardy	Offspring thus produced show variations from each other and their parents. Progeny produced may be less susceptible to environment due to the variations present and therefore, may be more hardy

Question 6:

Distinguish asexual and sexual reproduction. Why is vegetative reproduction also considered as a type of asexual reproduction?

Solution 6:

Sexual reproduction	Asexual reproduction
It involves the fusion of the male and female gamete.	It does not involve the fusion of the male and the female gamete.
It requires two (usually) different individuals.	It requires only one individual.
The individuals produced are not identical to their parents and show variations from each other and also, from their parents.	The individuals produced are identical to the parent and are hence, called clones.
Most animals reproduce sexually. Both sexual and asexual modes of reproduction are found in plants.	Asexual modes of reproduction are common in organisms having simple organizations such as algae and fungi.
It is a slow process. Due to accumulation of variations in every successive generation, sexual reproduction contributes to evolution.	It is a fast process. As there is no variation between parent and progeny, asexual reproduction does not contribute to evolution.
Both meiosis and mitosis are involved.	Only mitosis is involved.

Vegetative propagation is a process in which new plants are obtained without the production of seeds or spores. It involves the propagation of plants through certain vegetative parts such as the rhizome, sucker, tuber, bulb, etc. It does not involve the fusion of the male and the female

gamete and requires only one parent. Hence, vegetative reproduction is considered as a type of asexual reproduction.

Question 7:

What is vegetative propagation? Give two suitable examples.


Solution 7:

Vegetative propagation is a mode of asexual reproduction in which new plants are obtained from the vegetative parts of plants. It does not involve the production of seeds or spores for the propagation of new plants. Vegetative parts of plants such as runners, rhizomes, suckers, tubers, etc. can be used as propagules for raising new plants.


Examples of vegetative reproduction are:

1. Eyes of potato:

The surface of a potato has several buds called eyes. Each of these buds when buried in soil develops into a new plant, which is identical to the parent plant.

**2. Leaf buds of Bryophyllum:**

The leaves of *Bryophyllum* plants bear several adventitious buds on their margins. These leaf buds have the ability to grow and develop into tiny plants when the leaves get detached from the plant and come in contact with moist soil.



Question 8:

Define

- (a) Juvenile phase,
- (b) Reproductive phase,
- (c) Senescent phase.

Solution 8:

(a) Juvenile phase:

It is the period of growth in an individual organism after its birth and before it reaches reproductive maturity. It is also called as vegetative phase.

(b) Reproductive phase:

It is the period when an individual organism is capable of reproducing sexually. In this phase the reproductive system is mature and produces gametes that can then fertilize to form zygote.

(c) Senescent phase:

It is the period when an organism grows old and loses the ability to reproduce. The aging of tissues and organs starts to take place leading to progressive deterioration of the body.

Question 9:

Higher organisms have resorted to sexual reproduction in spite of its complexity. Why?

Solution 9:

Although sexual reproduction involves more time and energy, higher organisms have resorted to sexual reproduction in spite of its complexity. This is because this mode of reproduction helps introduce new variations in the progeny through the combination of the DNA from two (usually) different individuals. These variations allow the individual to cope with various environmental conditions and thus, make the organism better suited for the environment. Variations also lead to the evolution of better organisms and therefore, provide better chances of survival. On the other hand, asexual reproduction does not provide genetic differences in the individuals produced. Therefore, such individuals are more susceptible to changes in the environment. The lack of variation ensures that successive generations are identical genetically and is therefore less likely to contribute to evolution.

Question 10:

Explain why meiosis and gametogenesis are always interlinked?

Solution 10:

Meiosis is a process of reductional division in which the amount of genetic material is reduced. Gametogenesis is the process of the formation of gametes. Gametes produced by organisms are haploids (containing only one set of chromosomes), while the body of an organism is diploid. Therefore, for producing haploid gametes (gametogenesis), the germ cells of an organism undergo meiosis. During the process, the meiocytes of an organism undergo two successive nuclear and cell divisions with a single cycle of DNA replication to form the haploid gametes.

Question 11:

Identify each part in a flowering plant and write whether it is haploid (n) or diploid (2n).

- (a) Ovary -----
 (b) Anther -----
 (c) Egg -----
 (d) Pollen -----
 (e) Male gamete -----
 (f) Zygote -----

Solution 11:

- (a) Ovary Diploid (2n)
 (b) Anther Diploid (2n)
 (c) Egg Haploid (n)
 (d) Pollen Haploid (n)
 (e) Male gamete Haploid (n)
 (f) Zygote Diploid (2n)
-

Question 12:

Define external fertilization. Mention its disadvantages.

Solution 12:

External fertilization is the process in which the fusion of the male and the female gamete takes place outside the female body in an external medium, generally water. Fish, frog, starfish are some organisms that exhibit external fertilization.

Disadvantages of external fertilization: In external fertilization, eggs have less chances of fertilization. This can lead to wastage of a large number of eggs produced during the process. Therefore, large numbers of eggs will need to be produced by the female to account for the wastage of the eggs in water. This requires more energy.

Further, there is an absence of proper parental care of the offspring, which results in a low rate of survival in the progenies.

Question 13:

Differentiate between a zoospore and a zygote.

Solution 13:

	Zoospore	Zygote
1.	A zoospore is a motile asexual spore that utilizes the flagella for movement.	A zygote is a non-motile diploid cell formed as a result of fertilization.
2.	It is an asexual reproductive structure.	It is formed as a result of sexual reproduction.
3.	It may be haploid or diploid	It is diploid

Question 14:

Differentiate between gametogenesis from embryogenesis.

Solution 14:

Gametogenesis	Embryogenesis
It is the process of the formation of haploid male and female gametes from diploid meiocytes through the process of meiosis. Gametes formed are haploid Both mitosis and meiosis occur	It is the process of the development of the embryo from the repeated mitotic divisions of the diploid zygote. Embryo formed is diploid. Only mitosis occurs

Question 15:

Describe the post-fertilization changes in a flower.

Solution 15:

Fertilization is the process of the fusion of the male and the female gamete to form a diploid zygote. After fertilization, the zygote divides several times to form an embryo. The fertilized ovule forms a seed. The seed contains an embryo, enclosed in a protective covering, called the seed coat. As the seed grows further, other floral parts wither and fall off. This leads to the growth of the ovary, which enlarges and ripens to become a fruit with a thick wall called the pericarp.

Question 16:

What is bisexual flower? Collect five bisexual flowers from your neighbourhood and with the help of your teacher find out their common and scientific names.

Solution 16:

A flower that contains both the male and female reproductive structure (stamen and pistil) is called a bisexual flower. Examples of plants bearing bisexual flowers are:

- (1) Water lily (*Nymphaea odorata*)
- (2) Rose (*Rosa multiflora*)
- (3) Hibiscus (*Hibiscus rosa-sinensis*)
- (4) Mustard (*Brassica nigra*)
- (5) Petunia (*Petunia hybrida*)

Question 17:

Examine a few flowers of any cucurbit plant and try to identify the staminate and pistillate flowers. Do you know any other plant that bears unisexual flowers?

Solution 17:



Cucurbit plant bears unisexual flowers as these flowers have either the stamen or the pistil. The staminate flowers bear bright, yellow coloured petals along with stamens that represent the male reproductive structure. On the other hand, the pistillate flowers bear only the pistil that represents the female reproductive structure. Therefore, a very small fruit may be visible under the sepals and petals of a fertilized female flower. Other examples of plants that bear unisexual flowers are corn, papaya, cucumber, date palm, mulberry, etc.

Question 18:

Why are offspring of oviparous animals at a greater risk as compared to offspring of viviparous animals?

Solution 18:

Oviparous animals lay eggs outside their body. As a result, the eggs of these animals are under continuous threat from various environmental factors. On the other hand, in viviparous animals, the development of the egg takes place inside the body of the female. This keeps the embryo or foetus safe from the predators. Hence, the offspring of an egg-laying or oviparous animal is at greater risk as compared to the offspring of a viviparous animal, which gives birth to its young ones.

Thank You
for downloading the PDF

FREE LIVE ONLINE

MASTER CLASSES

FREE Webinars by Expert Teachers



Vedantu

FREE MASTER CLASS SERIES

- ✓ For **Grades 6-12th** targeting **JEE, CBSE, ICSE** & much more
- ✓ **Free 60 Minutes Live Interactive** classes everyday
- ✓ Learn from the **Master Teachers** - India's best

Register for **FREE**

Limited Seats!