PART 09 — CHEMISTRY, CHEMICAL ENGINEERING AND CERAMIC TECHNOLOGY

(Answer ALL questions)

- 76. How much work is done by 1 mol of a gas during a reversible non-flow isothermal expansion from an initial volume V_1 to a final volume V_2 when the equation of state is P(V-b) = RT, where b is a positive constant?
 - $1. W = RT \ln \frac{V_2}{V_1}$
 - $2. \qquad W = RT \ln(V_2 V_1)$
 - $3. \qquad W = RT \ln \frac{V_1 b}{V_2 b}$
 - $4. W = RT \ln \frac{V_2 b}{V_1 b}$
- 77. Clausius-Clapeyron equation is applicable in
 - 1. melting processes only
 - 2. vaporization processes only
 - 3. sublimation processes only
 - 4. all of the above
- 78. Mollier chart is a
 - 1. pressure Vs enthalpy chart
 - 2. pressure Vs volume chart
 - 3. enthalpy Vs entropy chart
 - 4. temperature Vs entropy chart
- 79. Which of the following factors control the deactivation of a porous catalyst pellet?
 - 1. decay reactions
 - 2. pore diffusion
 - 3. form of surface attack by poison
 - 4. all of the above
- 80. Which of the following is an autocatalytic reaction?
 - 1. Photochemical reactions
 - 2. Microbial fermentation reaction
 - 3. Enzyme fermentation reaction
 - 4. Ammonia synthesis reaction

- 81. Viscous heat sensitive liquids are concentrated in
 - 1. open pan evaporators
 - 2. long tube vertical evaporators
 - 3. agitated film evaporators
 - 4. none of the above
- 82. In a boiling curve, the peak heat flux is called ______ point
 - 1. the melting
 - 2. Leiden frost
 - 3. the boiling
 - 4. burn out
- 83. The binary diffusivity in gases and liquids vary respectively as
 - 1. $T^{3/2}$ and T
 - 2. T and $T^{3/2}$
 - 3. \sqrt{T} and $T^{3/2}$
 - 4. $T^{3/2}$ and \sqrt{T}
- 84. In McCahe-Thiele method, at infinite reflux ratio
 - 1. the overhead product is minimum
 - 2. both the operating lines coincide with diagonal
 - 3. both (1) and (2)
 - 4. neither (1) nor (2)
- 85. Peclet number $(N_{P_{\ell}})$ for mass transfer is defined as
 - 1. N_{Re}/N_{SC}
 - 2. N_{Re}N_{SC}
 - 3. N_{SC}/N_{Re}
 - 4. $N_{Sh} \cdot N_{SC}$

- 86. Dynamic similarity is the similarity of
 - 1. shapes
 - 2. streamline pattern
 - 3. forces influencing the fluid motion
 - 4. discharge
- 87. The pressure drop in laminar flow through pipe is equal to
 - 1. $\frac{8\mu \overline{V}L}{g_c D^2}$
 - $2. \qquad \frac{g_c D}{32 \,\mu \, \overline{V} L}$
 - $3. \qquad \frac{32\,\mu\,\overline{V}L}{\rho\,g_cD^2}$
 - $4. \qquad \frac{32\,\mu\,\overline{VL}}{g_cD^2}$
- 88. The discharge through a sharp-crested rectangular weir is proportional to
 - 1. H
 - 2. $H^{5/2}$
 - 3. $H^{3/2}$
 - 4. $H^{1/2}$
- 89. Turbulent flow generally occurs for cases involving
 - 1. highly viscous fluid
 - 2. very narrow passages
 - 3. very slow motion
 - 4. none of the above
- 90. The continuity equation
 - 1. represents the conservation of energy
 - 2. represents the con ervation of mass
 - 3. represents the con ervation of momentum
 - 4. none of the above
- 91. Which of the following impurities in feed water for high pressure boiler is most detrimental?
 - 1. Silica
 - 2. Dissolved oxygen
 - 3. Suspended salt
 - 4. Dissolved salt

- 92. Catalytic oxidation of naphthalene produces
 - 1. Styrene
 - 2. Phenol
 - 3. Phthalic anhydride
 - 4. None of the above
- 93. In a fuel cell
 - 1. electrical energy is converted into chemical energy
 - 2. chemical energy is converted into electrical energy
 - 3. electrical energy is converted into mec anical energy
 - 4. mechanical energy is converted into electrical energy
- 94. Yeast cannot be used in the manufacture of
 - 1. loaf of bread in bakeries
 - 2. pencillin
 - 3. wine
 - 4. all of the above
- 95. In Kraft process of paper manufacture, white cooking liquor consists of caustic soda
 - 1. Sodium sulphide, Sodium carbonate
 - 2. Sodium sulphite, Sodium carbonate
 - 3. Sodium sulphite, Sodium sulphide
 - 4. None of the above
- 96. The optical component in IR is made up of
 - 1. Nernst Glower
 - 2. Copper Chloride
 - 3. Sodium Chloride
 - 4. **Pyro** electric cell
- 97. Which one among the following compounds is IR active?
 - 1. N,
 - 2. *O*,
 - 3. *CO*,
 - 4. H₂

- Inter and Intra molecular hydrogen bonding can be distinguished by
 - 1. vapourising the sample and eluting through a chromatographic column
 - 2. diluting the sample and recording IR spectra
 - 3. using C, H, N, O, S analyzer
 - 4. applying Beer-Lambert's law
- 99. The NMR signal for ethanol would be
 - 1. a triplet, a doublet, a singlet
 - 2. two triplet, one doublet
 - 3. two triplet, one singlet
 - 4. two singlet, one triplet
- 100. Using GC-mass spectrophotometer, we can do
 - 1. Structural determination
 - 2. Separation of compounds from mixture and identification
 - 3. Quantitative determination
 - 4. (2) and (3)
- 101. The material with least hardness is
 - 1. talc
 - 2. zircon
 - 3. diamond
 - 4. carbon
- 102. Whiskers are
 - 1. Monocrystalline
 - 2. Polycrystalline
 - 3. Nono-crystalline
 - 4. Noncrystalline
- 103. Rice hulls are used to produce whiskers
 - 1. Carbon
 - 2. SiC
 - 3. Cellulose
 - 4. SiO₂
- 104. The material used as a dehumidifying and dehydrating agent is
 - 1. Hydro gel
 - 2. Ionic gel
 - 3. Silica gel
 - 4. Alumina gel

- 105. Ceramic materials generally have an extremely low value of
 - 1. elastic modulus
 - 2. hardness
 - 3. strength
 - 4. fracture toughness
- 106. The strength is highest for a
 - 1. glass-ceramic
 - 2. annealed glass
 - 3. glass fiber
 - 4. tempered glass
- 107. Glass which is completely soluble in water is
 - 1. Sodium Silicate
 - 2. Borosilicate
 - 3. Vitreous Silica
 - 4. None of the above
- 108. The prescribed cooling rate for a fiber of 0.065 cm diameter with 1000 g of suspended load as per ASTM is
 - 1. 0.4' C/sec
 - 2. 4º C/sec
 - 3. 0.4' C/min
 - 4. 4.0" C/min
- 109. The operating temperature of rotary kiln for cement making is
 - 1. $1700 1800^{\circ} \text{ C}$
 - 2. 900 1000° C
 - 3. 1400 1500° C
 - 4. 700 800° C
- 110. Ring formation inside a rotary kiln occurs in
 - 1. steaming zone
 - 2. transition zone
 - 3. sintering zone
 - 4. cooling zone

35 NG 27

- 111. Which of the following characteristic is not represented by graphite refractories?
 - 1. High resistance to corrosion action of slag and bases
 - 2. They do not allow the heat to pass through them
 - 3. Closure texture
 - Excellent refractory material and can be used under neutral or reducing conditions
- 112. Periclase refractory contains mainly
 - CaO
 - 2. Al₂O₃
 - MgO
 - 4. SiO₂
- 113. Heat conduction of a fired brick when compared to unfired brick is
 - 1. high
 - 2. low
 - 3. similar
 - 4. none of the above
- 114. Point out the wrong statement in addition polymerisation
 - 1. The presence of one or more double bonds in monomers and generally only one monomer is used
 - 2. Monomer units simply add to one another
 - 3. Small molecules such as H_2O , HCl, CO_2 are evolved during reaction
 - 4. Process is faster than condensation polymerisation
- 115. An injection molding machine may be a
 - 1. plunger type
 - 2. piston type preplasticating
 - 3. reciprocating screw
 - 4. any one of above

- 116. The sequence of various steps involved in galvanising process is
 - 1. preliminary treatment, pickling, zinc bath treatment and annealing respectively
 - 2. pickling, preliminary treatment, zinc bath treatment and annealing respectively
 - 3. preliminary treatment, pickling, annealing and zinc bath treatment
 - 4. annealing, pickling, preliminary treatment and zinc bath treatment respectively
- 117. Strong electrolytes are those which
 - 1. dissolve readily in water
 - 2. dissolve readily in organic solvents
 - completely dissociate into ions at all concentrations
 - 4. pass electricity
- 118. According to Debye-Bueche theory, the viscosity of a polymer solution or melts is proportional to
 - 1. concentration
 - 2. molecular weight
 - 3. both (1) and (2)
 - 4. none of the above
- 119. Hydrogen bonding is maximum in
 - 1. ethanol
 - 2. diethyl ether
 - 3. ethyl chloride
 - 4. trimethylamine
- 120. Which of the following compounds is oxidised to prepare methyl ethyl ketone?
 - 1. Propanol-2
 - 2. Butanol-1
 - 2-butanol
 - 4. t-butyl alcohol

NG 27