PREFACE

- This is an interactive self learning material exclusively meant for SSLC students of Kerala State Syllabus.
- This work is meant **<u>only for</u>** students appearing SSLC examinations , **<u>march 2021</u>**
- This is strictly in accordance with the Focus points suggested by SCERT
- Scan the QR codes given at each section to watch the video, related to the topic.
- You can also watch the videos using mobile, laptop etc by clicking / touching the QR codes. Make sure that the data connection is ON.
- Focus Points are marked as
- Constructive suggestions for further improvement are always welcome



Gas Laws and Mole Concept

Properties of gases

- Each gas contains a large number of minute particles called molecules.
- The volume of a gas molecule is very less when compared to the total volume of the gas.
- The molecules of a gas are in a state of rapid random motion in all directions.
- During this motion, the gas molecules collide with each other and also collide with the walls of the container in which it is kept.
- As the collisions of molecules are perfectly elastic in nature, there is no loss of energy.
- The collision of the gas molecules with the walls of the container creates the pressure of the gas.
- The force of attraction between the gas molecules and with the wall of the container is comparatively less.
- Energy of gas molecules is very high
- Distance between the molecules is comparatively large
- Freedom of movement of molecules very high

Volume of a gas

If a gas ,kept in a cylinder having a volume of 1 litre, is completely transferred to another 5 litre cylinder, its volume becomes 5 litres.

Volume of a gas is the volume of the container which it occupies.

1. Pull the piston of a syringe backwards. Press the piston after closing the nozzle of the syringe.

What will happen to the volume of air inside the syringe? When we press the piston after closing its nozzle, the volume of the gas inside the syringe decreases.

Temperature of a gas

When a gas is heated, the temperature increases. The kinetic energy of the molecules increases. The average kinetic energy is a measure of the temperature of a gas.

Pressure of a gas

Force exerted per unit area is called pressure.

Force on unit area= Total force exerted on the surface / Surface area



Relation between Volume of a gas and Pressure (Boyle's Law)

2. The size of the air bubbles rising from the bottom of an

aquarium increases. Give reason.

Here the temperature is constant. From bottom to top, the external pressure decreases.

Hence volume of the bubble increases. (Boyle's law).

Boyle's law states that at a constant temperature, volume of a definite mass of gas is inversely proportional to its pressure. If P is the pressure and V the volume, then $P \times V$ is a constant.

Relation between Volume of a gas and its Temperature (Charle's Law)

3.*** Take a dry bottle (an injection bottle) having a rubber stopper. Fix an empty refill through

the rubber stopper. Fill a drop of ink into in the lower end of the refill tube, then close the bottle. Dip this arrangement in luke warm water.

What do you observe?

The ink rises up.

What is the reason for the rising of the ink upwards?

When the temperature increases, the volume of the gas inside the bottle increases. This will push the ink up .

What did you observe on cooling the bottle after taking it out? Why? On cooling the bottle, the volume of the gas decreases. Then the ink goes down.

When the temperature increases, the volume of the gas increases. When temperature decreases, volume of the gas decreases.

The table given below shows the relation between volume and temperature of a fixed mass of a gas. (Pressure is kept constant)

| Volume V | Temperature T (In Kelvin scale) | V/T |
|----------|---------------------------------|----------------------|
| 900 mL | 300 K | 900 / 300 = 3 |
| 960 mL | 320 K | 960 / 320 = 3 |
| 819 mL | 273 K | 819 / 273 = 3 |

[Note that the temperature is stated in kelvin scale]

Charle's law states that , At constant pressure, the volume of a definite mass of a gas is directly proportional to the temperature in Kelvin Scale.

If V is volume and T the temperature, Then V/T will be a constant.

4. *Y* If an inflated balloon is kept in sunlight, it will burst. What may be the reason for this?

When the temperature increases, the volume of the gas inside the balloon increases and finally it will burst. (Charle's Law)



Towards mole concept..

If the relative atomic mass of an element is x grams, x grams of it contains **6.022 x** 10^{23} atoms.

| Element | Atomic Mass | Atomic Mass in grams | Mass Actually taken | Number of Atoms |
|-----------|-------------|----------------------|---------------------|--------------------------|
| Hydrogen | 1 | 1 g | 1 g | 6.022 x 10 ²³ |
| Carbon | 12 | 12 g | 12 g | 6.022 x 10 ²³ |
| Nitrogen | 14 | 14 g | 14 g | 6.022 x 10 ²³ |
| Oxygen | 16 | 16 g | 16 g | 6.022 x 10 ²³ |
| Sodium | 23 | 23 g | 23 g | 6.022 x 10 ²³ |
| Magnesium | 24 | 24 g | 24 g | 6.022 x 10 ²³ |
| Aluminium | 27 | 27 g | 27 g | 6.022 x 10 ²³ |
| Chlorine | 35.5 | 35.5g | 35.5g | 6.022 x 10 ²³ |
| Calcium | 40 | 40 g | 40 g | 6.022 x 10 ²³ |

Look at the following table for clarification

The mass of an element in grams equal to its atomic mass is called 1 Gram Atomic Mass (1 GAM) of the element. This may also be shortened as 1 Gram Atom.

| Hence the table | given above | e can be modified as |
|-----------------|-------------|----------------------|
|-----------------|-------------|----------------------|

| Element | Atomic Mass | Atomic Mass in grams | Mass Actually taken | GAM | Number of Atoms |
|-----------|----------------|----------------------|---------------------|-------|--------------------------|
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | 6.022 x 10 ²³ |
| Carbon | 12 | 12 g | 12 g | 1 GAM | 6.022 x 10 ²³ |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | 6.022 x 10 ²³ |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ |
| Sodium | 23 | 23 g | 23 g | 1 GAM | 6.022 x 10 ²³ |
| Magnesium | 24 | 24 g | 24 g | 1 GAM | 6.022 x 10 ²³ |
| Aluminium | 27 | 27 g | 27 g | 1 GAM | 6.022 x 10 ²³ |
| Chlorine | 35.5 | 35.5g | 35.5g | 1 GAM | 6.022 x 10 ²³ |
| Calcium | 40 | 40 g | 40 g | 1 GAM | 6.022 x 10 ²³ |

One gram atomic mass (1 GAM) of any element contains 6.022×10^{23} atoms. This number is known as Avagadro number. This is indicated as N_A .

Prepared by Unmesh B, Govt HSS Kilimanoor Thiruvananthapuram : 99 460 99 800 Page 3

| Element | Atomic Mass | Atomic Mass in grams | Given mass | Number of GAM | Number of Atoms |
|----------|----------------|----------------------|------------|------------------|----------------------------------|
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | 6.022x10 ²³ |
| Hydrogen | 1 | 1 g | 2 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ |
| Carbon | 12 | 12 g | 12 g | 1 GAM | 6.022 x 10 ²³ |
| Carbon | 12 | 12 g | 24 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | 6.022 x 10 ²³ |
| Nitrogen | 14 | 14 g | 42 g | 3 GAM | $3 \times 6.022 \times 10^{23}$ |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ |
| Oxygen | 16 | 16 g | 80 g | 5 GAM | $5 \times 6.022 \times 10^{23}$ |
| Sodium | 23 | 23 g | 23 g | 1 GAM | 6.022 x 10 ²³ |
| Sodium | 23 | 23 g | 230 g | 10 GAM | $10 \times 6.022 \times 10^{23}$ |

Have a <u>close look</u> at the table given below

From the table given above, it is clear that

VVV

Number of Gram Atomic Mass = Given Mass in grams / GAM of element

5 WWW How many GAM is present in 46 g of sodium?

(Hint: 1 GAM of sodium means 23 grams of Sodium) *Answer:*

=

=

Number of GAM

Given Mass in grams / GAM of element 46 g / 23 g 2

It contains 2 x 6.022 x 10²³ atoms of sodium

6. How many GAM is present in 69 g of sodium?

(Hint: 1 GAM of sodium means 23 grams of Sodium)

Answer:

Number of GAM = Given Mass in grams / GAM of element = 69 g / 23 g = 3

It contains $3 \times 6.022 \times 10^{23}$ atoms of sodium

Number of Atoms = Number of GAM x 6.022×10^{23}

7. Calculate the number of atoms present in each of the sample?

(Atomic mass N = 14, O = 16) **a)** 42 g Nitrogen **b)** 80 g Oxygen a) 42 g Nitrogen

Given Mass in grams / GAM of element Number of GAM = = 42 g / **14 g** = 3

It contains $3 \times 6.022 \times 10^{23}$ atoms of Nitrogen

b) 80 g Oxygen

Answer:

Given Mass in grams / GAM of element Number of GAM = 80 g / **16 g** = = 5 It contains 5 x 6.022 x 10^{23} atoms of Oxygen

8. Complete the table given below.

| Element | Atomic Mass | Atomic Mass in grams | Given mass | Number of GAM | Number of Atoms |
|----------|----------------|----------------------|------------|------------------|---------------------------------|
| Hydrogen | 1 | 1 g | 4 g | (a) | (b) |
| Carbon | 12 | 12 g | (c) | 5 GAM | (d) |
| Nitrogen | 14 | 14 g | 42 g | (e) | (f) |
| Oxygen | 16 | 16 g | (g) | (h) | $5 \times 6.022 \times 10^{23}$ |

(a) = 4 (b) =
$$4 \ge 6.022 \ge 10^{23}$$
 (c) = 60 g (d) = $5 \ge 6.022 \ge 10^{23}$
(e) = 3 (f) = $3 \ge 6.022 \ge 10^{23}$ (g) = 80 g (h) = 5

One mole of atoms

One mole of atoms = 6.022×10^{23} atoms = 1GAM

| ì. | | | | | | | | | |
|----------|----------------|----------------------------|---------------|------------------|--------------------------|-------------------------|--|--|--|
| Element | Atomic Mass | Atomic mass in grams | Mass taken | Number of GAM | Number of atoms | Number of mole atoms | | | |
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | $6.022 \ge 10^{23}$ | | | | |
| Carbon | 12 | 12 g | 12 g | 1 GAM | $6.022 \ge 10^{23}$ | | | | |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | 6.022 x 10 ²³ | | | | |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ | | | | |

9. **VVV** Find the number of mole atoms of the following

Answer:

| Element | Atomic Mass | Atomic mass in grams | Mass taken | Number of GAM | Number of atoms | Number of mole atoms |
|----------|----------------|----------------------------|---------------|------------------|--------------------------|-------------------------|
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Carbon | 12 | 12 g | 12 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ | 1 |

b. ♥♥♥

| Element | Atomic mass | Atomic mass in grams | Given mass | Number of GAM | Number of atoms | Number of mole atoms |
|----------|----------------|----------------------------|---------------|------------------|----------------------------------|----------------------------|
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | 6.022x10 ²³ | |
| Hydrogen | 1 | 1 g | 2 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ | |
| Carbon | 12 | 12 g | 12 g | 1 GAM | 6.022 x 10 ²³ | |
| Carbon | 12 | 12 g | 24 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ | |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | $6.022 \text{ x } 10^{23}$ | |
| Nitrogen | 14 | 14 g | 42 g | 3 GAM | $3 \times 6.022 \times 10^{23}$ | |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ | |
| Oxygen | 16 | 16 g | 80 g | 5 GAM | $5 \times 6.022 \times 10^{23}$ | |
| Sodium | 23 | 23 g | 23 g | 1 GAM | 6.022 x 10 ²³ | |
| Sodium | 23 | 23 g | 230 g | 10 GAM | $10 \times 6.022 \times 10^{23}$ | |

Answer:

| Element | Atomic mass | Atomic mass in grams | Given mass | Number of GAM | Number of atoms | Number of mole atoms |
|----------|----------------|----------------------------|------------|------------------|----------------------------------|----------------------|
| Hydrogen | 1 | 1 g | 1 g | 1 GAM | 6.022x10 ²³ | 1 |
| Hydrogen | 1 | 1 g | 2 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ | 2 |
| Carbon | 12 | 12 g | 12 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Carbon | 12 | 12 g | 24 g | 2 GAM | $2 \times 6.022 \times 10^{23}$ | 2 |
| Nitrogen | 14 | 14 g | 14 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Nitrogen | 14 | 14 g | 42 g | 3 GAM | $3 \times 6.022 \times 10^{23}$ | 3 |
| Oxygen | 16 | 16 g | 16 g | 1 GAM | 6.022 x 10 ²³ | 1 |
| Oxygen | 16 | 16 g | 80 g | 5 GAM | $5 \times 6.022 \times 10^{23}$ | 5 |
| Sodium | 23 | 23 g | 23 g | 1 GAM | 6.022×10^{23} | 1 |
| Sodium | 23 | 23 g | 230 g | 10 GAM | $10 \times 6.022 \times 10^{23}$ | 10 |

Molecular Mass and Gram Molecular Mass

10. The atomic masses of certain elements are given below.

Find the Molecular Mass and GMM of the following

| 1. H ₂ | 2. O ₂ | 3. N ₂ | | 4. H ₂ O | $5.NH_3$ | |
|--------------------------|--------------------------|---|---------------------------------|-------------------------------------|---|-------|
| $\textbf{6.}CO_2$ | 7. NaOH | 8. $C_6H_{12}O_6$ | 9. Na ₂ | CO_3 | $10. H_2 SO_4$ | |
| Sl No | Element/ Co | mpound | Chemical Formula | Molecul | ar Mass | GMM |
| 1 | Hydroge | n , H ₂ | H_2 | 1+1 | =2 | 2 g |
| 2 | Oxygen | , O ₂ | O ₂ | 16+10 | 6 =32 | 32 g |
| 3 | Nitroger | 1 , N ₂ | \mathbf{N}_2 | 14+1 | 4 =28 | 28 g |
| 4 | Water , | H ₂ O | H_2O | 1+1+1 | 6 = 18 | 18 g |
| 5 | Ammonia | NH3 | \mathbf{NH}_3 | 14+1+1 | +1=17 | 17 g |
| 6 | Carbondiox | ide ,CO2 | CO ₂ | 12+16+ | -16 =44 | 44 g |
| 7 | Sodium hydro: | xide,NaOH | NaOH | 23+16 | +1=40 | 40 g |
| 8 | Glucose,C | ₆ H ₁₂ O ₆ | $C_6H_{12}O_6$ | (12 x 6) + (x6)= 72 +12 | 1 x12) + (16 2 + 96 = 180 | 180 g |
| 9 | Sodium carbona | ate, Na ₂ CO ₃ | Na ₂ CO ₃ | = (23 x 2) + (16 x = 4 = 1 | (12 x 1) + x 3) 46 + 12 + 48 06 | 106 g |
| 10 | Sulphuric aci | d, H ₂ SO ₄ | H ₂ SO ₄ | (1 x 2) + (32 x) = 2 + 3 = 9 | x 1) +(16 x 4) 32 + 64 98 | 98 g |

Number of Molecules

| VVV | Analyse | the | tahle | niven | helow |
|-----|---------|-----|-------|-------|-------|
| ••• | Anuryse | uie | luble | given | Delow |

| Element / Compound | Molecular Mass | Mass in grams | GMM | Number of molecules |
|---|----------------|---------------|-------|--|
| Hydrogen (H ₂) | 2 | 2 g | 1 GMM | $6.022 \text{ x } 10^{23} \text{ H}_2 \text{ molecules}$ |
| Oxygen(O ₂) | 32 | 32 g | 1 GMM | $6.022 \text{ x } 10^{23} \text{ O}_2 \text{ molecules}$ |
| Nitrogen(N ₂) | 28 | 28 g | 1 GMM | $6.022 \text{ x } 10^{23} \text{ N}_2 \text{ molecules}$ |
| Water(H ₂ O) | 18 | 18 g | 1 GMM | $6.022 \text{ x } 10^{23} \text{ H}_2\text{O} \text{ molecules}$ |
| Ammonia (NH ₃) | 17 | 17 g | 1 GMM | 6.022 x 10 ²³ NH ₃ molecules |
| Carbon dioxide (CO ₂) | 44 | 44 g | 1 GMM | 6.022 x 10 ²³ CO ₂ molecules |

The amount of a substance in grams equal to its molecular mass is called Gram Molecular Mass

One gram molecular mass of any substance contains Avagadro number of molecules.

11. V One GMM oxygen is 32g Oxygen. This contains 6.022×10^{23} oxygen molecules.

- (a) How many GMM are there in 64g oxygen?
- (b) How many molecules are present in it?

Answer:

(a) One GMM oxygen is 32g Oxygen. Hence ,

Number of GMM in 64 g oxygen = 64g/32g

(b)

Number of molecules in 64g Oxygen = Number of GMM x 6.022×10^{23} = 2 x 6.022×10^{23}

=2

Number of Gram **M**olecular **M**ass = Mass given in grams / Gram Molecular Mass **(GMM)**

12. Calculate the number of GMM and number of ,molecules in each of the following samples

(a) 360 g glucose (Molecular mass = 180)

(b) 90 g Water (Molecular mass = 18)

Answer:

| <u>(a) 360 g glucose</u> | |
|-------------------------------|---|
| Number of Gram Molecular Mass | = Mass given in grams / Gram Molecular Mass (GMM) |
| | = 360 g / 180 g |
| | = 2 |
| Number of molecules | = Number of GMM x 6.022 x 10 ²³ |
| | $= 2 x 6.022 x 10^{23}$ |
| | |

| <u>(b) 90 g glucose</u> | |
|-------------------------------|---|
| Number of Gram Molecular Mass | = Mass given in grams / Gram Molecular Mass (GMM) |
| | = 90 g / 18 g |
| | = 5 |
| Number of molecules | = Number of GMM x 6.022 x 10 ²³ |
| | $= 5 \times 6.022 \times 10^{23}$ |
| | |

| Number of Molecules | = Number of GMM x 6.022 x 10^{23} |
|---------------------|-------------------------------------|
|---------------------|-------------------------------------|

One Mole of molecules

€.022 x10²³ molecules are called one mole molecule.
1 GMM = 1 Mole = 6.022 x10²³ molecules.



V N_2 is a diatomic molecule. The molecular mass of nitrogen is 28. Look at the word diagram given below.



13. Complete the chart given below



Answer:



| Problem Part – Quick Review | | | | |
|---|--|--|--|--|
| VVV For Atoms | VVV For Molecules | | | |
| Number of GAM = Given mass in grams / GAM of the element | Number of GMM = Given mass in grams / GMM | | | |
| | | | | |
| Number of Atoms = Number of GAM x $6.022 \text{ x}10^{23}$ | Number of Molecules = Number of GMM x 6.022 $x10^{23}$ | | | |

Prepared by Unmesh B, Govt HSS Kilimanoor Thiruvananthapuram : 99 460 99 800 Page 10