DIRECTORATE OF GOVERNMENT EXAMINATIONS S.S.L.C. PUBLIC EXAM- APRIL 2024 SCIENCE ANSWER KEY Part – I

Answer all the Questions:

12 x 1 = 12

| 1. | (b) | Stem | 1 |
|-----|-----|--|---|
| 2. | (c) | Fatty matter | 1 |
| 3. | (d) | 8.31 J Mol ⁻¹ K ⁻¹ | 1 |
| 4. | (c) | Electrical Energy | 1 |
| 5. | (b) | Restriction endonucleus | 1 |
| 6. | (a) | 6.023X10 ²³ | 1 |
| 7. | (b) | Pituitary Gland | 1 |
| 8. | (c) | The flowers are brightly coloured have smell and nectar | 1 |
| 9. | (C) | Mass of the object | 1 |
| 10. | (c) | Atrium \rightarrow Ventricle \rightarrow Arteries \rightarrow Vein | 1 |
| 11. | (c) | $2CO_2 + O_{2(g)} \rightarrow 2CO_{2(g)}$ | 1 |
| 12. | (c) | Carcinoma | 1 |

Part – II

Answer any Six questions. Question No.24 is compulsory. 7 x 2 = 14

| · | | | | |
|----|--|------------------|--|--|
| | Coefficient of apparent expansion: | | | |
| 13 | Coefficient of apparent expansion is defined as the ratio of | | | |
| | the apparent rise in the volume of the liquid per degree rise | 1 _{1/2} | | |
| | in temperature to it unit volume | 1/2 | | |
| | It's SI unit is K ⁻¹ | | | |
| | Tungsten has a very high melting point. | | | |
| 14 | If it is used in fuse wire, it will not melt when large | 2 | | |
| | current passes through it | | | |
| | The appliances will get damaged | | | |
| | Rust : | | | |
| 15 | Rust is brown coloured hydrated ferric oxide. | 2 | | |
| | ♦ 4Fe + $3O_2$ + X.H ₂ O \rightarrow 2Fe ₂ O ₃ .XH ₂ O | | | |
| | Stage : | | | |
| | Stage is the background appearing when we open | | | |
| 16 | the scratch window. | 2 | | |
| | The background will most often be white. | | | |
| | We can change the background colour as we like | | | |
| | SA node acts as the pacemaker of the heart. | 1 | | |
| 17 | It is capable of initiating impulse which can stimulate | | | |
| | the heart muscles to contract | 1 | | |
| | Parts of hind brain: | | | |
| 18 | ✤ Cerebellum | 2 | | |
| | ✤ Pons | 2 | | |
| | Medulla Oblangata | | | |

| A - i i i i i i i i i i i i i i i i i i | |
|--|--|
| A – Thyroid Cartilage | 1/2 |
| B – Thyroid gland | 1/2 |
| C – Nodule | 1/2 |
| D - Trachea | 1/2 |
| The milk produced from the breast during the first 2 to 3 days after child birth is called colostrums. Milk production is stimulated by prolactin hormone The ejection of milk is stimulated by oxytocin hormone | 2 |
| Metastasis: The cancerous cells migrate to parts of the body and affect new tissues. This process is called metastasis | 2 |
| Given: $P^{H} = 4.5$ $P^{OH} = ?$ | 1 |
| Solution · | |
| $P^{H} + P^{OH} = 14$ | 1 |
| $P^{OH} = 14 - 4.5$ | |
| P ^{OH} = 9.5 | |
| | A – Thyroid Cartilage B – Thyroid gland C – Nodule D - Trachea The milk produced from the breast during the first 2 to 3 days after child birth is called colostrums. Milk production is stimulated by prolactin hormone The ejection of milk is stimulated by oxytocin hormone Metastasis: The cancerous cells migrate to parts of the body and affect new tissues. This process is called metastasis Given: P^H = 4.5 P^{OH} = ? Solution : P^H + P^{OH} = 14 P^{OH} = 14 - 4.5 |

Part - III

Answer any Seven questions. Question No.32 is compulsory. 7x 4 = 28

| 23 | Types of Inertia : | | 1 | |
|----|--|--|---|--|
| | Inertia of rest | | | |
| | Inertia of motion | | | |
| | Inertia of direction | | | |
| | a) Inertia of rest : | | | |
| | To resist a body to chan | ge its state of rest. | | |
| | Ex: After shaking leaves | s fall down. | | |
| | b) Inertia of motion : | | | |
| | To resist a body to chan | ge its state of motion. | | |
| | | e distance before jumping. | | |
| | c) Inertia of direction : | | | |
| | To resist a body to chan | ge its direction. | | |
| | Ex : A sharp turn while o | driving a car you tend to lean side | | |
| | way. | | | |
| 24 | a) | | | |
| | Natural Radioactivity | Artificial Radioactivity | 1 | |
| | It cannot be controlled | It can be controlled | • | |
| | Spontaneous process | Induced process | 1 | |
| | ♦ Alpha, Beta and gamma | ✤ Neutron,Positrons are | | |
| | radiations are emitted emitted | | | |
| | b) Electric Llector, Electric Iron (Iron Dov) | | | |
| | b) Electric Heater, Electric Iron (Iron Box) | | | |
| 25 | a) When magnesium sulphate | heptahydrate crystals are gently | • | |
| | heated, it loses seven v | vater molecules, and becomes | 2 | |
| | anhydrous magnesium sulp | hate | | |
| | Heating | | | |
| | | | | |
| | MgSO4 . 7H2 O | MgSO4 + 7H2 O | | |
| | Cooling | | | |
| | (Magnesium | (Anhydrous | | |
| | Sulphate | Magnesium | | |
| | heptahydrate) | sulphate) | | |
| | b) Solubility is defined as the | number of grams of a solute that | 2 | |
| | can be dissolved in 100 g of a solvent to form its saturated | | | |
| | solution at a given temperat | | | |

| 26 | a) $RQ = Volume of CO_2$ liberated | |
|----|---|---|
| | Volume of O ₂ consumed | 2 |
| | b) | |
| | During light independent reaction, CO ₂ is reduced into | |
| | carbohydrates with the help of ATP and NADPH ₂ So light dependent reaction occur before the light | 2 |
| | independent reaction. | |
| 27 | Dental formula of rabbit : | |
| | I = 2 | |
| | 1 | 1 |
| | C = 0 | |
| | $\overline{0}$ $PM = 3$ | 1 |
| | | 1 |
| | $M = 3^2$ | _ |
| | 3 | 1 |
| 28 | a) | |
| | Euploid considered to be advantageous to both plants and animals, as they often result in increase fruit and flower size. | |
| | | 2 |
| | b) i) Unipolar neuron: | |
| | Only one nerve process arises from the cyton. | |
| | ii) Bipolar neuron: | |
| | Cyton gives rise to two nerve processes | 2 |
| | iii) Multipolar neuron : | |
| | The cyton gives rise to many dendrons and an axon found in cerebral cortex of brain. | |
| | | |

| 29 | (Any 4 points) | | | |
|----|---|---|---|--|
| | Artery | Vein | | |
| | Distributing vessels | Collecting vessel | | |
| | Deep location | Superficial in location | | |
| | Blood flow with high pressure | Blood flow with low pressure | 4 | |
| | Wall of artery is strong thick and elastic | | | |
| | All arteries carry oxygenated blood except pulmonary arteries | All veins carry deoxygenated blood except pulmonary veins | | |
| 30 | Ethnobotany: | | | |
| | Ethnobotany is the study of r | egions plants and their practical | | |
| | uses through the traditional kn | owledge of the local culture of | | |
| | people. | | 2 | |
| | Importance : | | | |
| | It provides traditional uses of plant. | | | |
| | It gives information about c | ertain unknown and known useful | | |
| | plants. | | | |
| 31 | a) <u>Consequences of deforesta</u> | <u>tion</u> : (Any 4 points) | | |
| | ✤ Flood♦ Drought | | | |
| | Soil erosion | | | |
| | Loss of wild life | | 2 | |
| | Extinction of species | | | |
| | Imbalance of biogeochemical cycles Alteration of alimate condition | | | |
| | Alteration of climate condition. Desertification | | | |
| | | | | |
| | | printing technique: (Any 2 points) | | |
| | | hnique is widely used in forensic investigation such as identifying | 2 | |
| | It is used in paternity tes | ting incase of disputes. | | |
| | It helps in the study of evolution and speciation | f genetic diversity of population, | | |

| 32 | a) 1. The acid that renders aluminium passive is dilute or | 1 |
|----|--|---|
| | concentrated nitric acid. | |
| | 2. Aluminium becomes passive due to the formation of an | 4 |
| | oxide film on its surface. | 1 |
| | b) Number of moles = Number of molecules of $NH_4 CI$ | |
| | Avagadro Number | |
| | $= 1.51 \times 10^{23}$ | |
| | $\overline{6.023 \times 10^{23}}$ | 1 |
| | = 1 / 4 = 0.25 moles of NH₄CI | |
| | | |

Part - IV

Answer all the question:

3 x 7 = 21

| 33 | a) (Any 2 points) | |
|----|---|----------|
| | | |
| | i) | |
| | Convex lens is used in camera lenses and magnifying | |
| | lenses. | |
| | Used in making microscope, telescope and slide projectors. | |
| | Used to correct the object of vision called hyper metropia. | |
| | ii) | 2 |
| | When a beam of white light or composite light is refracted | E |
| | through any transparent media such as glass or water, it | |
| | splits into its component colours. | |
| | This phenomenon is called as dispersion of light. | |
| | iii) | |
| | ✤ As the red light has highest wavelength among all the | 2 |
| | colours, it is scattered least. | |
| | It travels a longer distance in the atmosphere. | |
| | iv) Least count of travelling microscope : 0.01 mm | 1 |
| | b) | |
| | i) Echo: | |
| | An Echo is the sound reproduced due to the reflection of the | 1 |
| | original sound from various rigid surfaces. | |
| | | |

| | ii) | 1 | |
|-----|---|---|--|
| | Minimum time gap between the original sound and an echo must be 0.1 s. | | |
| | Minimum distance required to hear an echo is 17.2 m. iii) Used in obstetric ultrasonography Safe testing tool. | | |
| | | | |
| | | | |
| | | | |
| | iv) Speed of sound = Distance travelled | | |
| | | 2 | |
| | Time taken | | |
| | = 2d/t | | |
| 34 | i) Number of Moles of O_2 = Volume of S.T.P | | |
| (a) | Molar Volume = 3 / 22.4 | | |
| | = 0.1339 moles | | |
| | Number of Molecules = Number of moles x Avagadro number | | |
| | = 0.1339 x 6.023 x 10 ²³ | | |
| | = 0.8064 x 10 ²³ | | |
| | = 8.064 x 10 ²² O ₂ molecules | | |
| | Number of moles of $CI_2 = 5 / 22.4 = 0.2232$ moles | | |
| | Number of molecules = $0.2232 \times 6.023 \times 10^{23}$ | | |
| | = 1.344 x 1023 molecules | | |
| | Number of moles of H_2 = 6 / 22.4 = 0.2678 moles | | |
| | Number of molecules = $0.2678 \times 6.023 \times 10^{23}$ | | |
| | = 1.6129 x 10 ²³ molecules | | |
| | 1) 6 litre of H_2 has the highest number of molecules | | |
| | 2) 3 litre of O ₂ has the lowest number of molecules | | |
| | ii) | | |
| | An atom is no longer indivisible. | | |
| | Atoms of the same element may have different atomic mass. | | |
| | Atoms of different element can be transmitted into atoms of other elements. | | |
| | other elements | | |
| | Atom is no longer indestructive. Atom moving a simple whole number. | 5 | |
| | Atoms may not always combine in a simple whole number | | |

| | ratio. | |
|-----|---|--------|
| | Atom is the smallest particle that takes part in a chemical | |
| | reaction. | |
| | The mass of an atom can be converted into energy (E=mc ²) | |
| 34 | i) | |
| (b) | Some detergents having a branched hydro carbons chain | |
| | are not fully biodegradable by micro-organisms present in | 2 |
| | water. | |
| | So they cause water pollution. | |
| | ii) | |
| | ♦ A \rightarrow Ethanoic acid | 2 |
| | CH₃ COOH | L |
| | ♦ C ₂ H ₅ OH + CH ₃ COOH \rightarrow CH ₃ COOC ₂ H ₅ + H ₂ O | n |
| | Esterification | 2 1 |
| 35 | i) Synthetic auxin : | |
| | Artifically synthesized auxin that have properties like auxins | |
| a) | are called synthetic auxins. | 1 |
| | Eg : 2-4-D | |
| | ii) Structure of Ovule: | |
| | Nucleus is enclosed by two integuments leaving an opening | |
| | called as micropyle. | 1 |
| | The ovule is attached to ovary wall by a stalk known as | |
| | funiculus. | |
| | Chalaza is the basal part | |
| | The embryo sac contains seven cells and the eighth nuclei | 3 |
| | located within the nucleus | |
| | Three cells at the micropylar end form the egg apparatus. | |
| | 'The three cells at the chalaza end are the antipodal cells. | |
| | Chalaza | |
| | Nucellus Antipodal cells | |
| | Embryo sac | 2 |
| | Integuments Egg Synergids | - |
| | Micropyle Funicle | |
| | | |

| 35 | i) Father of Indian Green Revolution: | | | | | |
|-----------|---|------------------------------------|---------------------------|--|---|--|
| b) | Dr.M.S.Swaminathan | | | | 1 | |
| | ii) Out breading Cross between two different species with desirable features of economic value are mated. The hybrids are stronger and vigorous than their parents Inbreading Mating of closely related animals within the same breed for about 4-6 generation | | | | 1 | |
| | ✤ Eg: Mute | | Eg : Shee | p Hissardale | | |
| 35 (b) | Prevalence Age of onset | | e -1 | Type – 2 80-90% | | |
| | | | nset s) | Maturity onset (> 30 years) | 4 | |
| | Body weight | Normal (weight | or) under | Obese | | |
| | Defect | | deficiency lestruction | Target cells do respond to insulin | | |
| | Treatment | Insulin administra necessary | | Can be controlled by diet, exercise and medicine | | |
| | | 1 | | I | | |
| L | | | | | | |