

Shyam-Vidya Ayurved P.G. Entrance Coaching Center, Bhopal (M.P.)

Hyderabad PG - 2011

By- Dr. Neelima Singh (M.D.) Mob. 09993961427, 9826438399

- (1) This is considered as "Tantra dosha"**
 - (1) Vikalpa**
 - (2) Viparyaya**
 - (3) Vidhana**
 - (4) Vyahaja**
- (2) These are called Trisutra**
 - (1) Sattwa, Atma, Sarira**
 - (2) Prana, Dana, Paraloka**
 - (3) Vata, Pitta, Kapha**
 - (4) Hetu, Linga, Aushadha**
- (3) Katuka and Lavanatwa are the characteristic features of**
 - (1) Kshara**
 - (2) Lavana**
 - (3) Mutra**
 - (4) Sneha**
- (4) The Common lakshana in Vaidya and Paricharika**
 - (1) Upacharajnata**
 - (2) Dakshyam**
 - (3) Anuragam**
 - (4) Drishtakarmata**
- (5) In this Adhyaya Chatushka of Charaka Samhita, the description of Trayopastambha is**
 - (1) Svastha Vritta**
 - (2) Nirdesa**
 - (3) Annapana**
 - (4) Kalpana**
- (6) In which chapter of Charaka Samhita, is the description of Aturalaya?**
 - (1) Sveda Vidhi**
 - (2) Sneha Vidhi**
 - (3) Upakalpaniya**
 - (4) Phalamatra Siddhi**
- (7) The author who mentioned Dhamani marma**
 - (1) Charaka**
 - (2) Bhavamisra**
 - (3) Sarugadbara**
 - (4) Vagbhata**
- (8) Anubandha is the synonym of**
 - (1) Sattva**
 - (2) Atma**
 - (3) Ayu**
 - (4) Shareera**
- (9) The length of tongue-cleaner according to Charaka**
 - (1) 10 Angula**
 - (2) 8 Angula**
 - (3) 12 Angula**
 - (4) 16 Angula**
- (10) Purisha Veganirodha causes**
 - (1) Sirassula**
 - (2) Pindikodveshtana**
 - (3) Adhmana**
 - (4) All these**

- (11) Chakrapani suggested the procedure of Ksharasutra in
- (1) Arsas
 - (2) Bhagandara
 - (3) Nadivrana
 - (4) All these
- (12) Dvidha Vipaka Vada is the contribution of
- (1) Charaka Samhita
 - (2) Susruta Samhita
 - (3) Ashtanga Sangraha
 - (4) Ashtanga Hridaya
- (13) Number of Dasemani groups mentioned in Charaka Samhita
- (1) 10
 - (2) 37
 - (3) 25
 - (4) 50
- (14) This is to be known by Karmanishtha
- (1) Veerya
 - (2) Rasa
 - (3) Vipaka
 - (4) Prabhava
- (15) Vipaka is the end product of
- (1) Rasa
 - (2) Jirnakriya
 - (3) Ahara
 - (4) Guna
- (16) Nindyarasa in Tarunajwara according to Charaka
- (1) Lavana
 - (2) Madhura
 - (3) Tikta
 - (4) Kashaya
- (17) Number of Paradi Gunas
- (1) 20
 - (2) 5
 - (3) 10
 - (4) 41
- (18) This the best Medo-Anilahara drug
- (1) Kanchanara
 - (2) Pura
 - (3) Nirgundi
 - (4) Sallaki
- (19) The Panchabhautic components of Kashayarasa
- (1) Vayu + Prithivi
 - (2) Vayu + Akasa
 - (3) Vayu + Agni
 - (4) Vayu + Jala
- (20) Dosha Chaya means -
- (1) Increase in Dosha
 - (2) Spread of Dosha
 - (3) Swasthane Dosha Vriddhi
 - (4) Vataprakopa

- (21) Different types of Vatsanabha are first described in
- (1) Bhava Prakasa Nighantu
 - (2) Sodhala Nighantu
 - (3) Susruta Samhita
 - (4) Bhela Samhita
- (22) Karnavedha is first described in
- (1) Susruta Samhita
 - (2) Kashyapa Samhita
 - (3) Haritha Samhita
 - (4) Bhela Samhita
- (23) The author who mentioned Ritusandhi for the first time
- (1) Charaka
 - (2) Susruta
 - (3) Vagbhata
 - (4) Sarugadbara
- (24) In which chapter of Susruta Samhita, the practical training of Surgery is described?
- (1) Dvivraneeya
 - (2) Pranashta Salyavijuaniya
 - (3) Yogyasutriya
 - (4) Prabhashaniya
- (25) Ayurveda is termed as Panchama Veda by
- (1) Kashyapa
 - (2) Vagbhata
 - (3) Charaka
 - (4) Susruta
- (26) Pramana of Janumarma
- (1) 3 Angula
 - (2) 2 Angula
 - (3) 1 Angula
 - (4) None of these
- (27) The name of Chaturthakala
- (1) Medohara
 - (2) Sleshmadhara
 - (3) Purishadhara
 - (4) Raktadhara
- (28) Dantha comes under this types of Asthi
- (1) Tarunasthi
 - (2) Ruchakasthi
 - (3) Valyasthi
 - (4) Kapalasthi
- (29) Number of Sira according to Susruta
- (1) 700
 - (2) 800
 - (3) 600
 - (4) 725
- (30) Sira, after taking the Sneha of Medas, attains Kharapaka and produces
- (1) Peshi
 - (2) Kandara
 - (3) Snayu
 - (4) Twacha

- (31) The Number of Sandhis in the Koshtha**
- (1) 54
 - (2) 59
 - (3) 58
 - (4) 56
- (32) The Panchendriyatwo of Kurcha Sira marma**
- (1) Vayu + Agneya
 - (2) Agneya
 - (3) Saumyagneya
 - (4) Vayavya
- (33) Ayama of Purusha according to Susrutha**
- (1) 120 Angula
 - (2) 130 Angula
 - (3) 140 Angula
 - (4) 110 Angula
- (34) Number of Kurchas in the Medhra**
- (1) 1
 - (2) 2
 - (3) 6
 - (4) 3
- (35) According to Susruta Phupphusa is formed by**
- (1) Sonita
 - (2) Sonita Phena
 - (3) Kapha
 - (4) Kaphaphena
- (36) As per structure, Nabhimarma is considered as**
- (1) Mamsamarma
 - (2) Siramarma
 - (3) Snayumarma
 - (4) Sandhimarma
- (37) The number of Sattvika manogunas as per Susruta**
- (1) 12
 - (2) 11
 - (3) 10
 - (4) 14
- (38) The number of Raktavahini Siras in Yakrit and Pliha**
- (1) 180
 - (2) 195
 - (3) 175
 - (4) 170
- (39) The result of performing Sira Vyadha on Mamsa-Sira-Asthi-Snayu-Sandhi-Marmas**
- (1) Sopha
 - (2) Vaikalya
 - (3) Marana
 - (4) All these
- (40) The injury to this marma is not fatal**
- (1) Sadyah Pranaharamarma
 - (2) Kalantara Pranaharamarma
 - (3) Vaikalya karamarma
 - (4) All these

- (41) **Majishtha belongs to this family**
- (1) **Ramnaceae**
 - (2) **Rubiaceae**
 - (3) **Rutaceae**
 - (4) **Anacardiaceae**
- (42) **No plants survive in the surroundings of this species**
- (1) **Ahiphena**
 - (2) **Vishatinduka**
 - (3) **Vatsanabha**
 - (4) **Vishapushpaka**
- (43) **Harithaki is given with guda in this season**
- (1) **Sarat**
 - (2) **Sisira**
 - (3) **Vasantha**
 - (4) **Grishma**
- (44) **Drug of choice in Asthibhanga**
- (1) **Pterocarpus marsupeum**
 - (2) **Saraea Indica**
 - (3) **Cissus quadrangularis**
 - (4) **Trichodesma Indicum**
- (45) **The drug of choice in Rakta Pitta**
- (1) **Adathoda Vasica**
 - (2) **Fumaria Parviflora**
 - (3) **Pongamia glabra**
 - (4) **Withania Sommifera**
- (46) **"Samhita" is the synonym of**
- (1) **Vamsalochana**
 - (2) **Parasikayavani**
 - (3) **Ajamoda**
 - (4) **Satapushpa**
- (47) **Berigmia Ligulata is the latin name of**
- (1) **Patala**
 - (2) **Paravatapadi**
 - (3) **Pashanabhedi**
 - (4) **Piehumarda**
- (48) **The useful part of Agnimantha**
- (1) **Root**
 - (2) **Root-bark**
 - (3) **Stem**
 - (4) **Stem-bark**
- (49) **This is known as Sigruni**
- (1) **Sigrubija**
 - (2) **Sigrutwak**
 - (3) **Sigruswarasa**
 - (4) **Sigruvriksha**
- (50) **The useful part of Lavanga**
- (1) **Fruit**
 - (2) **Flower**
 - (3) **Twak**
 - (4) **Stem**

- (51) **Bhramara is the variety of**
- (1) **Japa**
 - (2) **Jhandu**
 - (3) **Madhuparni**
 - (4) **Madhu**
- (52) **The action of Kritamala is**
- (1) **Anulomana**
 - (2) **Rechana**
 - (3) **Sramsana**
 - (4) **Bhedana**
- (53) **This is known as sweet flag in English**
- (1) **Acorus calamas**
 - (2) **Anacylus pyrethrum**
 - (3) **Erythrina Indica**
 - (4) **Withania Sammifera**
- (54) **The fruit of Chavya is known as**
- (1) **Pippali**
 - (2) **Gajapippali**
 - (3) **Phalapippali**
 - (4) **Kapi Pippali**
- (55) **Rohini is the variety of this drug**
- (1) **Amalaki**
 - (2) **Lasuna**
 - (3) **Ahiphena**
 - (4) **Harithaki**
- (56) **Mushaka is the synonym of**
- (1) **Harathala**
 - (2) **Kapardika**
 - (3) **Mriddarusringa**
 - (4) **None of these**
- (57) **This is known as Red Oxide of Mercury**
- (1) **Rasasindura**
 - (2) **Rasakarpura**
 - (3) **Rasanjana**
 - (4) **None of these**
- (58) **Ideal part of Mercury in the Preparation of Swarnavanga**
- (1) **Half of tin**
 - (2) **1/8th of tin**
 - (3) **1/4th of tin**
 - (4) **1/12th of tin**
- (59) **Parada attains Nashta pishtatwa after this process**
- (1) **Bahyadruti**
 - (2) **Garbha druti**
 - (3) **Murchana**
 - (4) **Mardana**
- (60) **Mercury attains curative property after this Samskara**
- (1) **Mardana**
 - (2) **Jarana**
 - (3) **Murchana**
 - (4) **Bodhana**

- (61) Sulphur dioxide is released during the preparation of
- (1) Makaradhwaja
 - (2) Siddha Makaradhwaja
 - (3) Dwiguna Balijarita rasasindhura
 - (4) All these
- (62) Rodhana comes under
- (1) Parada dosha
 - (2) Parada Samskara
 - (3) Rasa pujana
 - (4) Rasa gathi
- (63) Therapeutically useful Paka of Rasaparpati
- (1) Apaka
 - (2) Madhyama
 - (3) Khara
 - (4) Dagdha
- (64) Time of Mukhamudhrana during preparation of Makaradhwaja
- (1) After sublimation of medicine
 - (2) After fumes are released
 - (3) On cessation of flames
 - (4) After the gold deposits at the neck of the bottle
- (65) Parpati is considered as this bandha
- (1) Pota
 - (2) Arota
 - (3) Pottali
 - (4) Abhasa
- (66) The chemical name of Rasa Sindura
- (1) Red Oxide of Mercury
 - (2) Red Sulphide of Mercury
 - (3) Black Sulphide of Mercury
 - (4) Yellow Oxide of Mercury
- (67) These are the minerals of mercury
- (1) Realgar-Orpiment
 - (2) Quick silver-German silver
 - (3) Cinnabar-Meta Cinnabar
 - (4) Calamine-Cassiterite
- (68) The Bahirmala of parada are removed by this Samskara
- (1) Mardana
 - (2) Murchana
 - (3) Utthapana
 - (4) Dipana
- (69) Ishtika Churna is used for purification of
- (1) Parada
 - (2) Bhallataka
 - (3) Parada and Bhallataka
 - (4) Hingula
- (70) Rasaka is one of the ingredients of this Medicine
- (1) Somanatharasa
 - (2) Vasantha Malathirasa
 - (3) Pradaranthakarasa
 - (4) All these

- (71) Atipravritti means -
 (1) Easy flow
 (2) A variety of Srotodushti
 (3) Doshadhikya
 (4) Dushyadhikya
- (72) Samprapti is -
 (1) Mutra Pariksha
 (2) Part of diagnosis
 (3) Rogi Pariksha
 (4) Roga Chikitsa
- (73) Hridroga comes under
 (1) Abhyantara Rogamarga
 (2) Bahya Rogamarga
 (3) Madhyama Rogamarga
 (4) Purisha Vahasrotas
- (74) Nadi Pariksha comes under
 (1) Sabda Pariksha
 (2) Ashtasthana Pariksha
 (3) Rakta Pariksha
 (4) Prasna Pariksha
- (75) Yapya means
 (1) Lakshna
 (2) Dosha
 (3) Treatment gives temporary relief
 (4) Sadhya
- (76) "Samkshapatah Kriyayogo - - - - -"
 (1) Chikitsa
 (2) Nidanaparivarjanam
 (3) Vamanam
 (4) Virechanam
- (77) Kavaigunya leads to
 (1) Vedana
 (2) Sotha
 (3) Vyadhi Utpatti
 (4) Lakshana
- (78) Hetu means
 (1) Dosha
 (2) Mala
 (3) Mutra
 (4) Roga Karana
- (79) Roga Pariksha is done with the help of
 (1) Nidana Panchaka
 (2) Prayogashala
 (3) Vaidyasala
 (4) Vidhyarthi
- (80) Purvarupa manifests at this stage
 (1) Avayava
 (2) Sthana sansraya
 (3) Vyadhi
 (4) Lakshana

- (81) "Skhalatah Samprathishthanam" is the benefit of
- (1) Padatradharana
 - (2) Vastradharana
 - (3) Dandadharana
 - (4) Chatradharana
- (82) The Ritu in which vamana etc., can be performed
- (1) Sisira
 - (2) Varsha
 - (3) Hemantha
 - (4) Vasantha
- (83) This disease is the result of supressing Kshavathu
- (1) Manyastambha
 - (2) Shirahsula
 - (3) Ardita
 - (4) All these
- (84) "Klesa Sahishnuta" is the result of
- (1) Vyayama
 - (2) Pranayama
 - (3) Dhanurasana
 - (4) Ahara
- (85) This thaila is most useful for Nasya
- (1) Dhanvanthari Thailam
 - (2) Anu Thailam
 - (3) Nirgundi Thailam
 - (4) Bilaw Thailam
- (86) "Jihwa bhavatyarasa Vedini" - This sign is caused by
- (1) Vishayukta Vayu Sevana
 - (2) Vishayukta Anna Sevana
 - (3) Vishayukta Jala Sevana
 - (4) None of these
- (87) This type of Visha is considered to have dasadhishthana
- (1) Sthavara visha
 - (2) Jangama visha
 - (3) Gara visha
 - (4) Dushi visha
- (88) Haritala is considered as this type of Visha
- (1) Kanda visha
 - (2) Dhatu visha
 - (3) Phala visha
 - (4) Mula visha
- (89) Sighragamitwa is the features of this serpent
- (1) Rajimanta
 - (2) Mandali
 - (3) Darvikara
 - (4) None of these
- (90) This is used to apply on the Dundubhi
- (1) MahaAgada
 - (2) Rajagada
 - (3) Ksharagada
 - (4) None of these

- (91) Kaphadosha should be removed in this month
- (1) Sravana
 - (2) Asvayuja
 - (3) Chaitra
 - (4) All these
- (92) The result of Chikitsa
- (1) Dharma
 - (2) Artha
 - (3) Maithri
 - (4) All these
- (93) This is not a synonym of 'Kaya'
- (1) Kalevara
 - (2) Varshma
 - (3) Vighraha
 - (4) Oja
- (94) This is not one of the Saptavidha Samana
- (1) Pachana
 - (2) Dipana
 - (3) Kshudha
 - (4) Stambhana
- (95) This is not the synonym of Vyadhi
- (1) Adhi
 - (2) Tama
 - (3) Papma
 - (4) Visha
- (96) Vidbheda is the Nanatmaja Vyadhi of this dosha
- (1) Vataja
 - (2) Pittaja
 - (3) Kaphaja
 - (4) None of these
- (97) The feature of Vishamajwara
- (1) Vishamarambha
 - (2) Vishamakriya
 - (3) Anushangi
 - (4) All these
- (98) This is known as Nishpratyanika Jwara
- (1) Santata
 - (2) Satata
 - (3) Tritiyaka
 - (4) Chaturthaka
- (99) Susruta has suggested pranayama in thies disease
- (1) Swasa
 - (2) Hikka
 - (3) Kasa
 - (4) All these
- (100) "Upadamsavat" features are seen in this disease
- (1) Phiranga
 - (2) Dhvajabhanga
 - (3) Sukaroga
 - (4) All these

- (101) The rasayanayoga useful in Avrithavata
- (1) Guggulu
 - (2) Silajathu
 - (3) Chayvanaprasa
 - (4) All these
- (102) Sarpi guda is useful in this disease
- (1) Urakshata
 - (2) Sotha
 - (3) Grahani
 - (4) All these
- (103) This is considered as Sreshtha Vajikarana
- (1) Stri
 - (2) Aswagandha
 - (3) Abiphena
 - (4) Abhyanga
- (104) This is part of Achararasayana
- (1) Ahimsa
 - (2) Gurita
 - (3) Kshira
 - (4) All these
- (105) This is one of the "Abheshaja"
- (1) Badhana
 - (2) Abadhana
 - (3) Ahita
 - (4) Apathya
- (106) Basti suitable for all times
- (1) Asthapana
 - (2) Anu Vasana
 - (3) Yapana
 - (4) Kshira
- (107) The Pramana of pushpanethra of uttarabasti in females according to Charaka
- (1) 10 Angula
 - (2) 12 Angula
 - (3) 14 Angula
 - (4) 16 Angula
- (108) Ullupta comes under this types of Basti Vyapat
- (1) Netra
 - (2) Putaka
 - (3) Pranetha
 - (4) All these
- (109) As per Charaka Samhita Chitrakadi vati is mainly indicated in
- (1) Atisara
 - (2) Grahani
 - (3) Vishuchika
 - (4) Visha
- (110) As per Charaka Samhita - Danthi Harithaki is mainly useful in
- (1) Gulma
 - (2) Prameha
 - (3) Rakta Pitta
 - (4) Unmada

- (111) **The nature of fever in Vata Balasaka**
(1) Tikshna
(2) Manda
(3) Avisargi
(4) None of these
- (112) **This causes Cerebral Malaria**
(1) P.Vivax
(2) P.Ovale
(3) P. Palciform
(4) P. Malarie
- (113) **ASO Titre is specific test for**
(1) Rhumatic fever
(2) Rheumatoid Arthritis
(3) (A) and (B)
(4) S.L.E
- (114) **This is Chikitsa Sutra of Krimiroga**
(1) Prakrithisnapana
(2) Prakritivighata
(3) Krimivighata
(4) None of these
- (115) **Kesada is the type of Krimi**
(1) Raktaja
(2) Purishaja
(3) Kaphaja
(4) Bahya
- (116) **The number of varieties of Samdamsa Yantra**
(1) 3
(2) 4
(3) 2
(4) None
- (117) **The number of Yantrakarmas**
(1) 101
(2) 12
(3) 24
(4) 20
- (118) **The length of Tala yantra**
(1) 16 inches
(2) 14 inches
(3) 12 inches
(4) 10 inches
- (119) **Karapatrasastra in modern surgery can be taken as**
(1) Knife
(2) Scalpel
(3) Saw
(4) Finger Knife
- (120) **Bhagandara-Arshoyantra belongs to this category**
(1) Upa Yantra
(2) Samdamsa Yantra
(3) Nadi Yantra
(4) Salaka Yantra

- (121) **The Pramana of Eshani Yantra**
(1) 6 Angula
(2) 4 Angula
(3) 8 Angula
(4) 10 Angula
- (122) **Main use of Kutharika Sastra**
(1) Chedana
(2) Bhedana
(3) Lekhana
(4) Vyadhana
- (123) **The number of Anusastras**
(1) 12
(2) 13
(3) 14
(4) 15
- (124) **Number of Doshaja vrana according to Charaka**
(1) 14
(2) 15
(3) 10
(4) 20
- (125) **According to this author Grahana is a type of Sastra Karma**
(1) Vagbhata
(2) Charaka
(3) Bhavamisra
(4) Susrutha
- (126) **Dushyodara is another name of**
(1) Sannipatodara
(2) Dakodara
(3) Parissavyudara
(4) Buddhagudodara
- (127) **This is not a type of Sandhibhagna**
(1) Utpishta
(2) Vislishta
(3) Picchita
(4) Vivartita
- (128) **Number of Sukradoshas according to Susrutha**
(1) 8
(2) 10
(3) 11
(4) 12
- (129) **The place suitable for Siravyadhana in Plihodara**
(1) Rt. Arm
(2) Lt. Foot
(3) Lt. Arm
(4) Rt. Foot
- (130) **Agnikarma is Contra-indicated in**
(1) Ushtragriva
(2) Parisravi
(3) Sataponaka
(4) None of these

- (131) **Upakusa is the disease related to**
- (1) **Nasa**
 - (2) **Danta**
 - (3) **Dantamula**
 - (4) **Talu**
- (132) **Kalaka Churna is useful in**
- (1) **Karnaroga**
 - (2) **Siroroga**
 - (3) **Mukharoga**
 - (4) **Udararoga**
- (133) **Dipta roga is**
- (1) **Karnaroga**
 - (2) **Dantamula gata roga**
 - (3) **Netraroga**
 - (4) **Nasaroga**
- (134) **This is useful in Vataja Pratisyaya**
- (1) **Anu Thaila**
 - (2) **Pathyadi Thaila**
 - (3) **Manahsiladi Thaila**
 - (4) **Bharugyadi Thaila**
- (135) **Pitakachurna is useful in**
- (1) **Mukharoga**
 - (2) **Siroroga**
 - (3) **Nasaroga**
 - (4) **Karnaroga**
- (136) **Rapid growth is the characteristic feature of this Cataract**
- (1) **Traumatic**
 - (2) **Senile**
 - (3) **Cortical**
 - (4) **Capsular**
- (137) **The part of the eye that is collected in eye- donation**
- (1) **Sclera**
 - (2) **Cornea**
 - (3) **Retina**
 - (4) **Whole eye-ball**
- (138) **Egg yolk like discharge is seen in**
- (1) **Kumbhika**
 - (2) **Anjananamika**
 - (3) **Utsangini**
 - (4) **Lagana**
- (139) **This is synonym of Pindi**
- (1) **Kavalika**
 - (2) **Avagundana**
 - (3) **Putapaka**
 - (4) **Vidalaka**
- (140) **Kalakasthi means**
- (1) **Netrabandhana**
 - (2) **Tarunasthi**
 - (3) **Netrasandhi**
 - (4) **Netramala**

- (141) What happens in the uterus during purperium?
- (1) Inversion
 - (2) Involution Foetal
 - (3) Placental Expulsion
 - (4) expulsion
- (142) A non pregnant uterus Weighs
- (1) 50-80 gms
 - (2) 20-40 gms
 - (3) 800-1000 gms
 - (4) 200-300 gms
- (143) Complication of 3rd stage of labour
- (1) Haemorrhage
 - (2) Inversion
 - (3) Rupture uterus
 - (4) Haemorrhage and inversion
- (144) Robert's sign means
- (1) Neonatal Asphexia
 - (2) Intra-uterine death
 - (3) Pregnancy
 - (4) A stage of labour
- (145) The time taken for first and second stage of labour in multigravid
- (1) 8 hrs
 - (2) 10 hrs
 - (3) 6 hrs
 - (4) 9 hrs
- (146) Haemorrhage in early pregnancy is due to
- (1) Abortion
 - (2) Polyp
 - (3) Ruptured varicose vein
 - (4) All these
- (147) This is indicated in Garbhini Chardi
- (1) Laja
 - (2) Bhunimba
 - (3) Bilwamajja
 - (4) All these
- (148) Number of Yonivyapats according to Charaka
- (1) 24
 - (2) 64
 - (3) 20
 - (4) 8
- (149) The main symptom of Arajaska according to Susruta
- (1) Atyartava
 - (2) Kashtartava
 - (3) Artavaadarsana
 - (4) Artavakshya
- (150) The coitus with a low age group girl leads to
- (1) Acharana
 - (2) Aticharana
 - (3) Prakeharana
 - (4) Karnini

- (151) The nomenclature of a child should be done on this day after birth
- (1) 8th day
 - (2) 10th day
 - (3) 15th day
 - (4) 30th day
- (152) Annaprāsana Kāla according to Kāsyapa is
- (1) 6th month
 - (2) 8th month
 - (3) 10th month
 - (4) 12th month
- (153) The milk of a black cow is
- (1) Vatakaraka
 - (2) Vatasamaka
 - (3) Tridoshakaraka
 - (4) Tridoshasamaka
- (154) The time of Nishkramana Samskara
- (1) After two months
 - (2) After four months
 - (3) Immediately after birth
 - (4) After six months
- (155) Number of Dvija Dantas
- (1) 8
 - (2) 12
 - (3) 16
 - (4) 24
- (156) The time of Upavesana Samskara
- (1) 4th month
 - (2) 6th month
 - (3) 8th month
 - (4) 10th month
- (157) The Aushadhamatra to be given to/year old child according to Sarugadhara
- (1) 1 Ratti
 - (2) 5 Rattis
 - (3) 1 Masha
 - (4) 2 Mashas
- (158) The Srotas that Vitiates in Sosharoga
- (1) Rasavaha
 - (2) Raktavaha
 - (3) Mamsavaha
 - (4) Medovaha
- (159) The Number of Nabhi rogas according to Charaka
- (1) 3
 - (2) 4
 - (3) 5
 - (4) 6
- (160) The type of stanya dushti that leads to Kshiralasaka
- (1) Vataja
 - (2) Kaphaja
 - (3) Vatakaphaja
 - (4) Tridoshaja

DR. N.T.R. UNIVERSITY OF HEALTH SCIENCES, A.P., VIJAYAWADA - 520 008
KEY FOR M.D. (AYURVEDA) ENTRANCE TEST 2011-12
HELD ON 16-10-2011

Q.No.	Answer
1	4
2	4
3	2
4	2
5	2
6	2
7	3
8	3
9	1
10	4
11	1
12	2
13	4
14	3
15	2
16	4
17	3
18	2
19	1
20	3
21	2
22	2
23	3
24	3
25	1
26	1
27	2
28	2
29	1
30	3
31	2
32	1
33	1
34	1
35	2
36	2
37	1
38	3
39	4
40	3

Q.No.	Answer
41	2
42	3
43	4
44	3
45	1
46	4
47	3
48	2
49	1
50	2
51	4
52	3
53	1
54	2
55	4
56	3
57	4
58	1
59	3
60	2
61	4
62	2
63	2
64	3
65	1
66	2
67	3
68	1
69	3
70	4
71	2
72	2
73	3
74	2
75	3
76	2
77	3
78	4
79	1
80	2

Q.No.	Answer
81	3
82	4
83	4
84	1
85	2
86	2
87	1
88	2
89	3
90	3
91	3
92	4
93	4
94	4
95	4
96	1
97	4
98	2
99	2
100	2
101	4
102	1
103	1
104	1
105	1
106	3
107	1
108	3
109	2
110	1
111	2
112	3
113	1
114	2
115	1
116	3
117	3
118	3
119	3
120	3

Q.No.	Answer
121	3
122	4
123	3
124	4
125	1
126	1
127	3
128	3
129	4
130	2
131	3
132	2
133	4
134	1
135	1
136	1
137	4
138	3
139	1
140	1
141	2
142	1
143	4
144	2
145	3
146	4
147	4
148	3
149	3
150	3
151	2
152	3
153	2
154	2
155	4
156	2
157	3
158	1
159	2
160	4